

Poteau rond en aluminium enduit de poudre de 50 mm pour balustrades en verre pour balcon, concept de balustrade en verre sans cadre seimi.

Caractéristiques du poteau en aluminium -

- Type rond diamètre 50mm, épaisseur 3mm
- Raccords pour poteau en aluminium tous inclus - capuchon d'extrémité, insert en aluminium soudé au bas du poteau pour tenir le verre, canal en plastique, plaque de base, cache de base
- Matériau aluminium 6063 T5
- Finition peinture en poudre ou couleur anodisée
- La taille peut être selon la demande, normalement de 1100mm à 1800mm
- Le poteau en aluminium peut également être foré dans le sol
- MOQ 10 pcs

Photos de poteau en aluminium -

KEBIL 科比奥®





KEBIL 科比奥®





| Material | Finish | Glass thickness | Dimension | Types |
|--|---|---|--|--|
| <ul style="list-style-type: none"> aluminum 6063 T5 | <ul style="list-style-type: none"> Powder coating Anodizing | <ul style="list-style-type: none"> 10-12mm | <ul style="list-style-type: none"> Dia 50mm round 3 mm thick 1265mm high or as per requirement | <ul style="list-style-type: none"> 1 way 2 way 180 degree 2 way 90 degree 2 way 135 degree |



| Material | Finish | Glass thickness | Dimension | Types |
|--|---|---|--|--|
| <ul style="list-style-type: none"> aluminum 6063 T5 | <ul style="list-style-type: none"> Powder coating Anodizing | <ul style="list-style-type: none"> 10-12mm | <ul style="list-style-type: none"> 50X50mm square 3 mm thick 1265mm high or as per requirement | <ul style="list-style-type: none"> 1 way 2 way 180 degree 2 way 90 degree 2 way 135 degree |



Photos de production de post-aluminium

Photos de projet de post-aluminium

