Clôture de piscine, design moderne, montage latéral, système de garde-corps à câble carré en acier inoxydable, photo de projet client en provenance des Etats-Unis.

Pourquoi nous choisir?

Le lancement de Shenzhen est vérifié par SGS.

# Alibaba.com Gold Plus Supplier

## Main Product Lines Verification Report

Presented to

## Shenzhen Launch Co., Ltd.

#### 深圳市朗驰商贸有限公司

Company Address	B5003, Building 3, Yilida Building, No. 1092 Nanshan Avenue, Dengliang Community, Nanshan Street, Nanshan District, Shenzhen City, Guangdong Province, China			
Consigner of Assessment:	Alibaba			
Gold Supplier Member ID:	launch168			
Gold Supplier Company Name:	Shenzhen Launch Co., Ltd.			
Contact Person:	Mr. Binfeng Gao			
Phone Number:	0086-13802569770			
Fax Number:	0086-755-86372611			
Email:	gbf999@china.com			
Website Address (URL):	http://launch-china.en.alibaba.com			

Service Provided by SGS Report No.: 19536352 P+T








#### Alibaba.com Gold Plus Supplier Main Product Lines Verification

Report No.: 19536352\_P+T

Cutting Machine	XN		4 3			Acceptable
Laser Cutting			1	2		
Machine	MPS-3015D		1	2		Acceptable
4.5M CNC	PRATIC		1	3		Acceptable
Processing Center	PRAIIC		å			Acceptable
CNC Processing Meter	JNC		8	3		Acceptable
Shearing Machine	6X2500		2	3		Acceptable
Bending Machine	AG-1030II		4	3		Acceptable
Punching Machine	N/A		36	6		Acceptable
Coating Line	N/A		1	1.5		Acceptable
Lathing Machine	N/A		1	6		Acceptable
Grinding Machine	LITAO		4	6		Acceptable
Milling Machine	TONG ZHE	VG	2	6		Acceptable
Welding Machine	N/A		5	5		Acceptable
Tube Processing Machine	N/A		2	5		Acceptable
Cutting Mach	nine	Lase	er Cutting Ma	achine	4.5M CNC Pro	cessing Center
		THE REAL PROPERTY OF THE PARTY				
CNC Processing Meter		S	Shearing Machine		Bending Machine	
			born 6'2500			A total
Punching Machine			Coating Line		Lathing Machine	

Report No:	19536352_P+T	Report Date:	09/Oct./2019	Assessed By	Wlof Wang
CONFIDENTI	CONFIDENTIAL All Rights Reserved		erved		Page No: 6 of 10

Article	système de garde-corps en acier inoxydable à montage latéral
Application	piscine, escalier, balcon, terrasse, etc.
Matériel	316SS
terminer	brossé, poli
Poster	Carré 50 * 50mm
Type de montage	montage latéral
taille du câble	4mm de diamètre
main courante supérieure	50 * 25mm
MOQ	10-20 mètres
Paiement	TT; PAYPAL, CARTE DE CRÉDIT



poteaux de balustrade pour câbles à montage latéral -



Tendeur de câble T803



### **Tube main courante**

