

Inoxydable collier de verre et d'acier avec le dos plat est conçu pour répondre **3/8 "** verre et post carré. Il est largement utilisé dans le système de rampe de verre pour la conception d'un escalier, d'un balcon et piscine clôture.

Il est facile pour l'installation et le faible coût de maintenance.


[Afficher produit](#)

Finition 1.brushed



G104 glass clamp, flat

2.comparision entre satin et finition miroir



3.rubber joint à ajuster et protéger le panneau de verre lors de l'installation



Pic 4.Project



Guide 5.Installation pour pince de verre

Glass Clamp Installation Guide



1
Mark and centre punch desired location of blind rivet nut location.



2
Drill centre punched hole in tube to suit blind rivet nut.



3
Insert blind rivet nut into tube and fasten with blind rivet tool.



4
Check installed blind rivet nut is secure and ready for install.



5
Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



6
Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



6a
If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



7
Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



8
Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Autre conception de verre pinces pour votre demande. Ils peuvent contenir 5/16", 1/4" 1/2" verre.

1.glass pince avec base arc pour poteau rond

porcelaine verre pince 1/2 & quot;, en acier inoxydable de bonne qualité 316 tour de serrage poste de verre, escalier rampe pince poste de verre



2.square collier de verre de forme à fond plat et à fond rond
acier inoxydable de type carré collier de verre pour escalier, inoxydable
collier de verre et d'acier à fond plat pour balcon main courante



détails d'emballage



Packaging details:
10 pcs/ box (210*60*60mm)
10 boxes/carton(325*220*140mm).



Conditions de paiement:

1.T / T

Union 2.western

Mode de livraison

1.by exprimer: UPS, FedEx, DHL

2.by air

3.by mer

Bienvenue à me contacter si vous êtes intéressé. Cela est Susie 😊