

180 μοιρών από ανοξείδωτο χάλυβα σφιγκτήρα μπάνιου υδραυλική γυάλινη μεντεσέ πόρτα

Τύπος	Μεντεσέδες πόρτας & παραθύρου
Τόπο καταγωγής	Γκουανγκντόνγκ, Κίνα (ηπειρωτική χώρα)
Μάρκα	Κεμπίλ
Αριθμός μοντέλου	G-W90SS
Ονομασία προϊόντος	90 μοίρες από γυαλί σε τοίχο μεντεσέ
Υλικό	SS304, SS316; Αλουμίνιο
Φινίρισμα	PSS SSS CP BN
Μέγεθος	90 * 90 χιλιοστά
Πάχος γυαλιού	8-12 mm σκληρυμένο γυαλί
Ρουλεμάν	45kgs / ζεύγος
Function	γυαλί σε τοίχο, γυαλί σε γυαλί
χαρακτηριστικό	Εύκολο στην εγκατάσταση και ανθεκτικό, ασφαλές
Εφαρμογή	Ντους, γραφείο, ξενοδοχείο, σπίτι

180 Βαθμός & 90 Βαθμός Ποτήρι Ντους Μεντεσές σε Ανοξείδωτος Ατσάλι Υλικό:




Γυάλινο μεντεσέ 90 μοιρών από ανοξείδωτο ατσάλι και υλικό αλουμινίου:



Δείξε λεπτομέρειες:




Συσκευασία:





Οδηγίες Εγκατάστασης:

HINGE PARTS



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG THE DESIGNATED SLOT OF THE ACRYLIC DOOR



NOTE: REFER TO THE PICTURE BELOW AFTER THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED WILL ALREADY BE SET, NO NEED TO ADJUST

MAIN BODY CONFIGURATION



TOP HALF CONFIGURATION



STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF OF THE HINGE, ALIGNING WITH THE MAIN BODY



MAKE SURE THE SCREW HEADS FACE INSIDE THE ROOM WHEN ATTACHING THE DOOR.

STEP 3 - INSERT THE BOLTS AND TIGHTEN WITH A 4mm HEX KEY



Φωτογραφίες έργου:







Παρακαλούμε επικοινωνήστε μαζί μας όπως παρακάτω:

Παραμονή

sales03@launch-china.cn

HP / WhatsApp / WeChat: +8613686807796