

Προδιαγραφές

Όνομα προϊόντος	Παράθυρα ολίσθησης αλουμινίου διπλά τζάμια
Υλικό	Κράμα αλουμινίου 6063-T5 προφίλ γυαλί αξεσουάρ
Επιλογές προφίλ	Μάρκα προφίλ: κινεζική μάρκα Πάχος προφίλ: 2.0mm Επεξεργασία επιφάνειας: Επικάλυψη σκόνης, ανοδίωση, επίστρωση PVDF, κλπ. Χρώμα: λευκό, μαύρο, γκρι, προσαρμοσμένο χρώμα
Επιλογές γυαλιού	Τυπική προδιαγραφή: 5mm27a5mm Υλικό: Μετριοπάθεια Χρώμα: εξαιρετικά καθαρό, καθαρό, παγωμένο, γκρι, πράσινο, προσαρμοσμένο χρώμα Τύποι: Ενιαίο γυαλί, γυαλί, κ.λπ.
Άλλα αξεσουάρ	Λωρίδα σφράγισης: EPDM Materail Κλείδωμα: Κινέζικη κορυφή μάρκα Track: Rail από ανοξείδωτο χάλυβα Roller: πολυαμίδιο υψηλής αντοχής






Window types



C1



C2




C3



C4



C5




C6

Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass




Low-E glass




Reflective glass



Single panel glass



Double panel glass




Triple panel glass



Safety hardware

- Automatic lock and child lock configuration to enhance safety performance



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage


- Water tightness
- Air tightness



Applications



Kitchen



Home



Doorway



Living room



Bedroom



Hostel

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine