




Μας πολύ καλή προσφορά ποτήρι σκαλί κιγκλίδωμα σχέδια:




Σύγχρονα εσωτερικά γυάλινα σκαλοπάτια με κιγκλιδώματα

1	Υλικό & Φινιρίσμα	Ανοξείδωτο χάλυβα 304/316; Σατινέ ή καθρέφτη
2	Υψος	1000MM / προσαρμοσμένο μέγεθος
3	Stanchion Post	D50,8 * 1,5 (mm) σωλήνα. Ρυθμιζόμενη βάση στήριξης σιδηροτροχιάς 4 κατευθύνσεων. Τετράγωνο ή στρογγυλό γυαλί.
4	Top Rail	D50.8 * 1,5 (mm) Κοίλος σωλήνας
5	Ασφάλεια κιγκλιδώματος	10mm / 12mm σκληρυμένο πάνελ από γυαλί


6	Χρήση & Τοποθεσία	Παλέτα, κιγκλιδώματα, μπαράκια, φράχτες, κιγκλιδώματα, κιγκλιδώματα. Μπαλκόνι, Γέφυρα, Κατάστρωμα, Κήπος, Αίθριο, Πισίνα, Βεράντα, Σκάλα, Αίθριο
7	Εγκατάσταση	Κορυφαία / πλαϊνή συναρμολόγηση
8	Πακέτο	ΕΡΕ + εσωτερικό κουτί + χαρτοκιβώτιο
9	Υπηρεσία	1, Παρέχονται τα κατάλληλα αξεσουάρ και εξαρτήματα. 2, Σχεδιασμός Κατασκευής. 3, Επαγγελματικές συμβουλές μηχανικού. 4, Οδηγός εγκατάστασης. 5, OEM, ODM, σχεδιασμός πελατών?
10	Επικοινωνία	EMAIL, SKYPE, WhatsApp, WeChat και QQ εμφανίζονται ως υδατογράφημα στις παρακάτω εικόνες




LCH-106



LCH-107



LCH-108



Εγκατάσταση:

Glass Clamp Installation Guide



Mark and centre punch desired location of blind rivet nut location.



Drill centre punched hole in tube to suit blind rivet nut.



Insert blind rivet nut into tube and fasten with blind rivet tool.



Check installed blind rivet nut is secure and ready for install.



Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.




Fit glass panel into position, install second half of glass clamp secure with provided hex screws.





Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Έργα προβολής





Για μπαλκόνι κιγκλίδωμα σχέδια:



Αφή Ελεύθερος προς το Επικοινωνία μας:
Εύα Τσού
sales03@launch-china.cn
HP / WhatsApp: +8615907334556