

Όνομα προϊόντος	Χειροποίητες ράγες για υπαίθρια βήματα, μαύρο οβάλ εξωτερικό κιγκλίδωμα για βεράντα, κατάστρωμα ή εσωτερικές σκάλες, κιτ κιτζάκια
Υλικό	Γαλβανισμένος χάλυβα
Χρώμα	Μαύρος
Ικανότητα	5000 υπολογιστές το μήνα
Χαρακτηριστικά	Ισχυρό, κομψό, ανθεκτικό, ανθεκτικό στη διάβρωση
Σχήμα	Square Post 40*40mm, SQ Handrail 50*25mm
Εφαρμογή	Κήπος, πισίνα, κατάστρωμα, βεράντα, μπαλκόνι, σκάλα κ.λπ.
Πληρωμή	T/T, Western Union, Alibaba, Paypal, L/C, κλπ.
Αναφορά δοκιμής υλικού	Διαθέσιμος







EASY TO INSTALL

All necessary accessories are provided



Step 1: Assemble



Step 2: Mark



Step 3: Punch



Step 4: .Finish



WROUGHT IRON RAILING

Safety & Durable Outdoor Handrails

Durability: The handrail withstand years of use and exposure to the elements. The product won't rust, rot, or degrade quickly.

Safety: Sturdy handrail. Its reliability is crucial. No any risk of it coming loose over time.

Installation: Comes with all mounting hardware and clear instructions. You can do it yourself, just take 15 mins.



Everything You Need Are Included

a masonry drill bit

an extension drill bit

a hex nutsetter

a double ended wrench

an allen wrench

8 x extension bolts


8 x lag screws

8 x screws

8 x self-tapping screws

Modern & Versatile Cable Stair Railing

Suitable for Wood and Concrete Surfaces






Sturdy and Space Saver Cable Railing System




STAIRS POST




30 degrees angle

CORNER POST



L-shaped hole


LINE POST



Straight hole

Buidling Code Compliant

For Residential and Commercial Buildings



-  Rust Resistant
-  Weather Resistant
-  Corrosion Resistant
-  Waterproof Construction
-  Less Discoloration, Chalking, or Flaking

IBC 1014.2: Handrail height, measured above stair tread nosing's, or finish surface of ramp slope, shall be uniform, not less than 34" and not more than 38"

