

Cerniera per porta doccia in vetro idraulico con morsetto per bagno in acciaio inossidabile da 180 gradi

genere	Cerniere per porte e finestre
Luogo d'origine	Guangdong, Cina (continente)
Marchio	Kebil
Numero di modello	G-W90SS
Nome del prodotto	Cerniera per doccia a 90 ° vetro-parete
Materiale	SS304, SS316; Alluminio
finire	PSS SSS CP BN
Taglia	90 * 90mm
Spessore del vetro	Vetro temperato 8-12 mm
cuscinetto	45 kg / pair
fuction	vetro a parete, vetro a vetro
caratteristica	Facile da installare e resistente, sicuro
Applicazione	Bagno con doccia, ufficio, hotel, casa

180 Grado & 90 Grado Bicchiere Doccia Cerniera nel Inossidabile Acciaio Materiale:




Cerniera per doccia in vetro a 90 gradi in acciaio inossidabile e materiale in alluminio:



Mostra dettagli:



Imballaggio:





Istruzioni per l'installazione:

HINGE PARTS



MAIN BODY CONFIGURATION



TOP HALF CONFIGURATION



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG THE DESIGNATED SLOT OF THE ACRYLIC DOOR



NOTE: REFER TO THE PICTURE BELOW AFTER THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED WILL ALREADY BE SET, NO NEED TO ADJUST

STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF OF THE HINGE, ALIGNING WITH THE MAIN BODY



MAKE SURE THE SCREW HEADS FACE INSIDE THE ROOM WHEN ATTACHING THE DOOR.

STEP 3 - INSERT THE BOLTS AND TIGHTEN WITH A 4mm HEX KEY



Foto del progetto:







Vi preghiamo di contattarci come di seguito:

viglia

sales03@launch-china.cn

HP / WhatsApp / WeChat: +8613686807796