

Porta del patio pieghevole in alluminio Porta per patio Break termico Glass a doppia temperatura esterna di ingresso scorrevole

Specifiche del prodotto

Specifiche	
Nome prodotto	Porte pieghevoli BI in alluminio di rottura termica
Opzioni del profilo	Brand del profilo: marchio cinese
	Spessore del profilo: 2,0 mm
	Trattamento superficiale: rivestimento in polvere, anodizzazione, rivestimento PVDF, ecc.
	Colore: bianco, nero, grigio, colore personalizzato
Opzioni di vetro	Specifiche standard: 5 mm27a5 mm
	Materiale: vetro temperato
	Colore: ultra trasparente, chiaro, glassata, grigio, verde, colore personalizzato
	Tipi: vetro singolo, vetro laminato, ecc.
Altri accessori	Striscia di sigillatura: EPDM MATERAIL
	Lock: marchio cinese
	Traccia: binario in acciaio inossidabile
	Rullo: poliammide ad alta resistenza

Immagini e dettagli del prodotto





HANDLE




LOCK BODY



HINGE



FOLDING DOOR PULLRY



FOLDING DOOR TOP WHEEL



D-shape Handle

The Folding Process is easy to operate



Heavy-Duty Hinge

Single Weight **150kg**



Top Wheel

Prevent The Door From Swinging
From Side To Side




Return Pulley


Easy Folding Push Smooth Without
Resistance

Configuration


Doors




Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows



Awning




Casement



Louvre



Sliding




Window Wall



Bay



Fixed



Double Hung



Bi-fold




Screens

Colori del profilo in alluminio




Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass

APPLICATION



ENTRANCE



BACKYARD



LIVING ROOM



DINING ROOM



BALCONY



DECK

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine

Non esitate a ci sono interessati se sei interessato ai prodotti

Frank Fang

WhatsApp/Telefono: 8615906261741

Email: vendite02@launch-china.cn