



Specifiche	
Nome prodotto	Porta scorrevole in alluminio Porta bifold Porta del patio Break termico Porte in vetro temperato a doppia piega
Materiale	In lega di alluminio 6063-t5 profilo vetro accessori
Opzioni del profilo	Brand del profilo: marchio cinese Spessore del profilo: 2,0 mm Trattamento superficiale: rivestimento in polvere, anodizzazione, rivestimento PVDF, ecc. Colore: bianco, nero, grigio, colore personalizzato
Opzioni di vetro	Specifiche standard: 5 mm27a5 mm Materiale: vetro temperato Colore: ultra trasparente, chiaro, glassata, grigio, verde, colore personalizzato Tipi: vetro singolo, vetro laminato, ecc.
Altri accessori	Striscia di sigillatura: EPDM MATERAIL Lock: marchio cinese Traccia: binario in acciaio inossidabile Rullo: poliammide ad alta resistenza





D-shape Handle

The Folding Process is easy to operate


Heavy-Duty Hinge

Single Weight **150kg**




Configuration


Doors




Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold




Sliding Wardrobe



Showerscreens




Screens



Pivot Door
Entry Units


Windows




Awning




Casement



Louvre



Sliding




Window Wall




Bay



Fixed



Double Hung




Bi-fold




Screens

Glass Types

Variety Of Glass & Profile Available




Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass



LIVING ROOM



BALCONY



KITCHEN



BEDROOM

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine