


## Prodotto Specifiche tecniche:

nome del prodotto	Balastra del ponte Corrimano in alluminio Base in alluminio Ringhiera in vetro Frameless Balastra di vetro Balcone Balcone Ringhiera in vetro	
Modello	ALU-1262.	
Altezza totale	950/1050 / 1150mm o personalizzato	
Materiali	Scarpa di base	Alluminio 6063.
	Corrimano per tubi slot.	SS304. SS316.
finire	Corrimano per tubi slot.	1.mirror # 600 # 800
		2.Satina # 180 # 240 # 320 # 400
		3.Powder rivestito
		4.electroplated.
Canale base		1. Standard Anodizzato Argento-Outdoor
		2. Rivestito a polvere (nero, bianco, ecc.) - Standard esterno
		3. Finitura del mulino in alluminio
		& SS304 / 316 Cover (specchio, raso, elettroplato a colori)



Scarpa di base in alluminio:






## SuperioreIntagliatoTuboCorrimano&Accessori:



**25 × 21MM, GROOVE 14 × 14MM**

Surface treatment: satin brushed / mirror polished




25\*21 tube

**Model: SQ2521**



**DIAMETER 25.4MM, GROOVE 14 × 14MM**

Surface treatment: satin brushed / mirror polished



**Model: RD2525**





**Dia25.4mm slotted handrail tube  
14x14mm groove**



**180 degree joiner**



**90 degree joiner**



**wall-rail joiner**



**end cap**

Benvenuti a contattarci se ulteriori informazioni necessarie:

vigilia

Email: [sales03@launch-china.cn](mailto:sales03@launch-china.cn).

HP / Whatsapp: +8613686807796