

Canale di alluminio di base con ferrovia superiore in acciaio inossidabile rotondo







Frameless BALUSADE BAIUSTER ALLUMINIO U CANCELLARE DI GLASSINO DI GLASSO



1m aluminum channel contains the following accessories



Waterproof tape
2 meters




Aluminum and plastic fittings
3 sets



Expansion bolts
3 pieces

Specifiche della ringhiera in vetro di alluminio:

Parte di ringhiera - seminterrato	MATERIALE	Dimensione (mm)	Superficie finita	Spessore del vetro adatto (mm)
Tu canale / tu profilo	Alluminio a.lloy.	102 * 62.	Vernice anodizzante / spray	12-13.52.
		102 * 67.		8 + 1,52 + 8
		102 * 70.5.		10 + 1.52 + 10
Sistema interno e bullone	3 o 4 metri per lunghezza			
Rivestimento	SUS 304 / SUS 316	102.	Spazzolato / specchio	/
Gomma	Plastica	Varie	Nero	Tutti



**BASE ALLUMINIO PROFILO U PROFIDE PER BALURATE DELLA
RINGURAZIONE DI GLASSA IN COLORE NERO:**



A disposizione Modelli:

LCH-A01 / A02: senza / con rivestimento per uso con vetro da 20 mm a 21.52mm

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces

LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Decorative cover 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces

LCH-B01 / B02: senza / con rivestimento per uso con vetro da 16 mm a 17.52mm

LCH-B01

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m Decorative cover 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-C01 / C02: senza / con rivestimento per uso con vetro da 12 mm a 13.14mm

LCH-C01

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-C02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m Decorative cover 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-D01 / D02: senza / con rivestimento per uso con vetro da 12 mm a 13.14mm

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters





Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

Produzione di massa e imballaggio













Più tipi di canale U alluminio per la ringhiera di vetro:

Small profile: for glass thickness 10-12.76mm




Big profile: for glass thickness 20-30mm




Corrimano del tubo di slot:









- | | |
|--|--|
| 1. Aluminum Railing Base | 7. End Cap |
| 2. Stainless Cap Screw | 8. Setting Block |
| 3. ½" Tempered Float Glass | 9. Expansive Cement |
| 4. Top Rail | 10. Cladding |
| 5. Splice | 11. Protective Insert |
| 6. Corner fitting
(Horizontal Shown Vertical
Also Available) | 12. Handrail Brackets and Fittings
Also Available |

Contattaci ora per maggiori informazioni:

Frank Fang.

Email: sales02@launch-china.cn.

Mobile / Whatsapp: [+8615906261741](tel:+8615906261741)