

Il lancio di Shenzhen produce base e tappo di supporto per ferrovia in vetro inossidabile lucido di alta qualità per sistemi di ringhiera di balconi in vetro senza telaio.


CARATTERISTICHE-

Design compatto con base, tappo e bulloni di montaggio (o viti in legno / viti in ritardo)

Per uso con vetro temperato di spessore 1/2 "e 3/4" (12 e 19 mm) o 9/16 "e 27/32" (13,52 e 21,52 mm) per sistemi di ringhiera in vetro strutturale.

Acciaio inossidabile in lega di alta qualità 316 Per il montaggio a acciaio, calcestruzzo o substrato in legno

Questi pesanti **Basamento e tappi di supporto della ferrovia di vetro** lavorare con ringhiere a mano o di guardia.



Part No.	Material	Finish	Body	Bolt size
• SF-30			• 30x10; 30x25mm	• M10x120 bolt
• SF-40	• AISI 304	• Satin	• 40x10; 40x30mm	• M10x72 wood screw
• SF-50	• AISI 316	• Mirror	• 50x12; 50x30mm	• M8x100 bolt
• SF-50A			• 50x12; 50x50mm	• M8 x72 wood screw
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Bolt size
• SF-38Z	• AISI 304	• Satin	• hollow type	• M8x70 hexagonal screw
	• AISI 316	• Mirror	• 38x7.5; 38x38mm	
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Mounting plate size
• SF-50T	• AISI 304	• Satin	• 50x10; 50x30mm	• 200x100x10mm
	• AISI 316	• Mirror	• silicon rubber gasket included	

