

## 1. Description

--Balustrade Inviare per balcone, cortile, ponte, ringhiera di vetro scala e ringhiera cavo  
misura del perno --Round:  $\phi 43\text{mm}$  o  $\phi 50.8\text{mm}$ , 1.100 millimetri di alta  
misura del perno --Square:  $\phi 40 \times 40\text{mm}$  o  $50 \times 50\text{mm}$ , 1100 millimetri alta  
morsetto --Glass può essere mached in funzione dello spessore del vetro. (vetro Normalmente  
8-12mm)  
--La Distanza su post tra l'attacco secondo il vostro requisito del cavo. (Normalmente  $\leq 70\text{mm}$ )

## Immagine 2. Prodotto

STAINLESS STEEL BALUSTRADE AND FITTINGS

KEBIL 科比奧 SHENZHEN LAUNCH CO., LTD

BALUSTRADE POST

| Crossbar balustrade post |                                            |
|--------------------------|--------------------------------------------|
| Material                 | Stainless steel 304/316                    |
| Finish                   | Satin / mirror polished                    |
| Post size                | $\phi 43\text{mm}$ or $\phi 50.8\text{mm}$ |
| Standard height          | 1000 mm, or as per your requirement        |

LCH-101 LCH-102

| Glass balustrade post |                                                                                                 |
|-----------------------|-------------------------------------------------------------------------------------------------|
| Material              | Stainless steel 304/316                                                                         |
| Finish                | Satin / mirror polished                                                                         |
| Post size             | $\phi 43\text{mm}$ or $\phi 50.8\text{mm}$ , $40 \times 40\text{mm}$ or $50 \times 50\text{mm}$ |
| Standard height       | 1000 mm, or as per your requirement                                                             |

LCH-103 LCH-104 LCH-105 LCH-106 LCH-107 LCH-108

Model No. : LCH-120

| Glass standoff balustrade post |                                                    |
|--------------------------------|----------------------------------------------------|
| Material                       | Stainless steel 304/316                            |
| Finish                         | Satin / mirror polished                            |
| Post size                      | $40 \times 40\text{mm}$ or $50 \times 50\text{mm}$ |
| Standoff bracket size          | $\phi 50\text{mm}$                                 |
| Standard height                | 1000 mm, or as per your requirement                |

LCH-120

Model No. : LCH-122

| Glass spider balustrade post |                                                    |
|------------------------------|----------------------------------------------------|
| Material                     | Stainless steel 304/316                            |
| Finish                       | Satin / mirror polished                            |
| Post size                    | $40 \times 40\text{mm}$ or $50 \times 50\text{mm}$ |
| Standard height              | 1000 mm, or as per your requirement                |

LCH-122

Model No. : LCH-123

| Cable balustrade post |                                            |
|-----------------------|--------------------------------------------|
| Material              | Stainless steel 304/316                    |
| Finish                | Satin / mirror polished                    |
| Post size             | $\phi 43\text{mm}$ or $\phi 50.8\text{mm}$ |
| Standard height       | 1000 mm, or as per your requirement        |

LCH-123

Model No. : LCH-124

| Cable balustrade post |                                     |
|-----------------------|-------------------------------------|
| Material              | Stainless steel 304/316             |
| Finish                | Satin / mirror polished             |
| Post size             | $50 \times 10\text{mm}$             |
| Standard height       | 1000 mm, or as per your requirement |

LCH-124

07/08

## 3. Project spettacolo

progetto di ringhiera --glass









progetto di ringhiera --cable







### 3.Details











#### 4.Delivery & Imballaggio

Consegna: 3-5 giorni da espresso. 10-15 giorni da trasporto

Imballaggio: un pc in un sacchetto di plastica, poi in una scatola.

Termine d'esecuzione: circa 20 giorni dopo il pagamento. (Si depent sulla quantità)







|                      |                                                                                                                                                                          |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| packing              | plastic bag+box+carton                                                                                                                                                   |
| production lead time | 30-45 days ; also depending on your qty.                                                                                                                                 |
| Shippment            |       |
|                      |       |
|                      |       |
| payment              |   |

## 5. Factory & Certificazione





## 6. Customers





## 7.Contact



**董 萍** Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

---

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No. 1092  
Nanshan Road, Nanshan District, Shenzhen, China  
postal code 518054

---

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

💻 www.launch-china.com

www.chinabalustrade.com

Grazie per la visita. Si prega di non hesitate a contattarci per prezzo diretto della fabbrica e professionale consiglia.