mini fermagli per balaustre in acciaio inox 316 senza telaio

1. Specificazioni,

1. Materiale: **Acciaio inossidabile 304/316**.
2. Osservazioni: **Trattamento di passivazione disponibile**
3. Finitura: spazzolata o lucidata a specchio.
4. Per spessore vetro: 10-13,52 mm.
5. Modello n. RBM: codolo rotondo per piastra di base, peso netto intorno a 1,28 kg / pc.
6. Modello n. SBM: attacco quadrato per piastra di base, peso netto di circa 1,58 kg / pc.
7. Dimensione: altezza 168mm + vestito da 100mm di diametro.
8. Accessori: coperchio, viti, guarnizioni in gomma.
9. utilizzo: 2 perni supportano un pannello in vetro da 1 pezzo.

SBM
(Square base model)

2. Spigot in vetro / mini post foto,

Semilavorato:

Disegno quotato:



Rubinetto di vetro finito,

SWIMMING POOL FENCING
KEBIL
Model No. : SCM-1
Square core drill spigot
Material
Finish
For glass thickness
Model No. : SBM
base plate spigot
thickness
10mm – 13.52 mm
Model No. : SCM
Square core drill spigot
Material
Finish
For glass thickness
Mirror or satin polished
10mm – 13.52 mm
Model No. : RBM
base plate spigot

SWIMMING POOL FENC
KEGIL
Model No. : GL-90
Material
Finish

3. Progetto di spigot di vetro per il vostro riferimento ,

Grazie per la vostra visita, qualsiasi interessato, si prega di contattare con me liberamente:

E-mail: sales02@launch-china.cn .