
# Vetro dimensione perno RBM:




#### Materiale:

Marine grade 316 Stainless Steel material to maximize the products life and appearance. This premium quality material is low carbon, antiruggine – tough, durable, excellent resistance to corrosion, suitable for outdoor uses.

## Superficie:

Finished with a fantastic high quality mirror polished finish.

Scarica Vetro perno RBM disegno tecnico Qui.



### Glass Spigot RBM Caratteristica:

- 1.Strong friction clamping system for NO HOLE glass, quick and easy to DIY Install. You can p ut as many clamps as you like along larger panels of glass.
- 2. Glass perni sono solidi dell'acciaio inossidabile! Non scava!
- 3. Suits vetro temperato 10-12mm.
- 4.Designed and manufactured according to to Australian Standard for swimming pool fencing safety, Australia Balustrade Standard AS& NZS.

#### Glass Spigot RBM Applicazione:

Stainless steel glass spigots used for fixing glass of swimming pool fencing walls for outdoor li ving, antirust and very durable.

#### Nice-

looking mini posts apply to support 10 or 12mm fully frameless glass for fence in home & gar den.

Glass gator clamps for the construction of glass handrails for a beautiful stair balustrade or b alcony.

#### Glass Spigot RBM Installazione fai da te:

- 1. Mark la linea centrale della proposta di recinzione in vetro.
- 2.Determine spigot location and mark out the hole positions, drill the required holes.
- 3.Bolt the base plated spigot into position using the expansion screws for concrete/pavings/til es or timber screws for wooden decking.
- 4. Fit la piastra di copertura prima di installare vetro senza cornice.
- 5.Install the glass to the spigots and tighten the clamp with supplied Allen key.

### Glass Spigot RBM Packaging:

Each glass spigot with 1 cover fitted is wrapped up with one air foam bag to protect from scratches.

Each spigot with foam bag is put into 1 carton box.

- 4 viti ad espansione pc e
- 4 sets timber screws for installation wrapped by thick rubber hose is put together with 1 spig ot.
- 4 piccole scatole sono imballate in 1 scatola di cartone.
- 1 set installation tool allen keys free supplied in 1 big box.

Each big carton box is individually wrapped up with wrapping film & packing tapes.