

In acciaio inox morsetto di vetro con la parte posteriore piatta è progettato per soddisfare **3/8** " vetro e post quadrato. È ampiamente usato nel sistema di corrimano in vetro per la progettazione di scale, balcone e piscina recinzione.

E 'facile per installazione e bassi costi di manutenzione.

Esposizione del prodotto

Finitura 1.brushed



G104 glass clamp, flat

2.comparison tra raso e finitura a specchio



3.rubber guarnizione per regolare e proteggere il pannello di vetro durante l'installazione



4.Project pic



Guida 5.installation per morsetto di vetro

Glass Clamp Installation Guide



1
Mark and centre punch desired location of blind rivet nut location.



2
Drill centre punched hole in tube to suit blind rivet nut.



3
Insert blind rivet nut into tube and fasten with blind rivet tool.



4
Check installed blind rivet nut is secure and ready for install.



5
Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



6
Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



6a
If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



7
Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



8
Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Altro disegno di vetro morsetti per la vostra richiesta. Essi possono contenere 5/16", 1/4" 1/2" vetro.

Morsetto 1.glass con base ad arco per palo tondo

cina morsetto di vetro da 1/2 & quot;, acciaio inossidabile di buona qualità 316 tondo morsetto postale vetro, scala corrimano morsetto di vetro posta



2.square morsetto di vetro di forma con fondo piatto e fondo tondo
in acciaio inox tipo quadrato morsetto di vetro per scale, in acciaio inox
morsetto di vetro con base piatta per balcone corrimano



particolari dell'imballaggio



Packaging details:

10 pcs/ box (210*60*60mm)

10 boxes/carton(325*220*140mm).



Termini di pagamento:

1.T / T

2.Western Union

Metodo di consegna

1.by espresso: UPS, Fedex, DHL

Aria 2.by

3.by mare

Benvenuti a contattarmi se siete interessati a. Si tratta di Susie😊