

Aluminium tweevoudige vouwpatiodeur thermische pauze dubbel gehard glas buitenglijdende toegangsdeuren

Productspecificatie

Specificatie	
Productnaam	Thermische pauze aluminium bi -vouwdeuren
Profielopties	Profielmerk: Chinees merk
	Profiel dikte: 2,0 mm
	Oppervlaktebehandeling: poedercoating, anodiseren, PVDF -coating, enz.
	Kleur: wit, zwart, grijs, aangepaste kleur
Glasopties	Standaardspecificatie: 5 mm27a5mm
	Materiaal: gehard glas
	Kleur: ultrahelder, helder, mat, grijs, groen, aangepaste kleur
	Soorten: enkel glas, gelamineerd glas, enz.
Andere accessoires	Afdichtingsstrook: EPDM Materail
	Lock: Chinees topmerk
	Track: roestvrijstalen rail
	Roller: hoogwaardig polyamide

Productfoto's en details





HANDLE




LOCK BODY



HINGE



FOLDING DOOR PULLRY



FOLDING DOOR TOP WHEEL



D-shape Handle

The Folding Process is easy to operate



Heavy-Duty Hinge

Single Weight **150kg**



Top Wheel

Prevent The Door From Swinging
From Side To Side




Return Pulley


Easy Folding Push Smooth Without
Resistance

Configuration

Doors




Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows



Awning




Casement



Louvre



Sliding




Window Wall



Bay



Fixed



Double Hung



Bi-fold




Screens

Aluminium profielkleuren




Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass

APPLICATION



ENTRANCE



BACKYARD



LIVING ROOM



DINING ROOM



BALCONY



DECK

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine

Aarzel niet om ons te geven als u geïnteresseerd bent in de producten

Frank Fang

Whatsapp/telefoon: 8615906261741

E-mail: sales02@launch-china.cn