

China Fabricage Dek Balkon Trap Aluminium U-kanaal Frameloze glazen balustrades







Frameloze balustrade rail aluminium U-kanaal glazen balustrade hardware



1m aluminum channel contains the following accessories



Waterproof tape
2 meters




Aluminum and plastic fittings
3 sets



Expansion bolts
3 pieces

Specificaties aluminium glas: railing:

REGELONDERDEEL - KELDER	MATERIAAL	AFMETING (MM)	OPPERVLAK AFGEWERKT	GESCHIKTE GLASDIKTE (MM)
U-kanaal / U-profiel	Aluminium Alloy	102*62	Anodiseren / Spuitverf	12-13.52
		102*67		81.528
		102*70.5		101.5210
Binnen systeem & bout	3 of 4 meter per lengte			
Bekleding	SUS 304 / SUS 316	102	Geborsteld / Spiegel	/
Rubber	Plastic	Verscheidene	zwart	Allemaal



Aluminium Basis U Profiel voor Glas Reling Balustrade in Zwart Kleur :



Verkrijgbaar modellen:

LCH-

A01/A02: zonder/met bekleding voor gebruik met 20mm tot 21,52mm glas

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-

B01/B02: zonder/met bekleding voor gebruik met 16mm tot 17,52mm glas

LCH-B01

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



**LCH-
C01/C02: zonder/met bekleding voor gebruik met 12mm tot 13,14mm
glas**

LCH-C01

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-C02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



**LCH-
D01/D02: zonder/met bekleding voor gebruik met 12mm tot 13,14m
m glas**

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters





Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

Massaproductie en verpakking

















SLOT BUIS LEUNING:







- | | |
|--|--|
| 1. Aluminum Railing Base | 7. End Cap |
| 2. Stainless Cap Screw | 8. Setting Block |
| 3. ½" Tempered Float Glass | 9. Expansive Cement |
| 4. Top Rail | 10. Cladding |
| 5. Splice | 11. Protective Insert |
| 6. Corner fitting
(Horizontal Shown Vertical
Also Available) | 12. Handrail Brackets and Fittings
Also Available |

Neem nu contact met ons op voor meer informatie:

Wendy: sales04@launch-china.cn

Mobiel / Whatsapp: 8615989339827