

Basis aluminium U kanaal met ronde roestvrijstalen bovenste rail







Frameloze balustrade rail aluminium u kanaal glazen railing hardware



1m aluminum channel contains the following accessories



Waterproof tape
2 meters




Aluminum and plastic fittings
3 sets



Expansion bolts
3 pieces

Specificaties van aluminium glazen leuning:

Railing Part - kelder	MATERIAAL	Dimensie (mm)	Oppervlak afgewerkt	Geschildt glasdikte (mm)
U kanaal / u profiel	Aluminium alloy	102 * 62	Anodiseren / spuitverf	12-13.52
		102 * 67		8 + 1,52 + 8
		102 * 70.5		10 + 1,52 + 10
Inside System & Bolt	3 of 4 meter per lengte			
Bekleding	SUS 304 / SUS 316	102	Geborsteld / spiegel	/
Rubber	Plastic	Verscheidene	Zwart	Alle



Aluminium basis u profiel voor glazen balustrade in zwarte kleur:



BeschikbaarModellen:

LCH-A01 / A02: Zonder / met bekleding voor gebruik met 20 mm tot 21.52 mm glas

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m

Waterproof tape 2 meters

Aluminum plastic fittings 3 sets

Expansion screws 3 pieces

LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m

Decorative cover 2 meters

Aluminum plastic fittings 3 sets

Expansion screws 3 pieces

LCH-B01 / B02: Zonder / met bekleding voor gebruik met 16 mm tot 17,52 mm glas

LCH-B01

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-C01 / C02: Zonder / met bekleding voor gebruik met 12 mm tot 13.14 mm glas

LCH-C01

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-C02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-D01 / D02: Zonder / met bekleding voor gebruik met 12 mm tot 13,14 mm glas

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters





Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

Massaproductie en verpakking













Meer soorten aluminium U kanaal voor glazen leuning:

Small profile: for glass thickness 10-12.76mm




Big profile: for glass thickness 20-30mm




Slotbuis Leuning:









- | | |
|--|--|
| 1. Aluminum Railing Base | 7. End Cap |
| 2. Stainless Cap Screw | 8. Setting Block |
| 3. ½" Tempered Float Glass | 9. Expansive Cement |
| 4. Top Rail | 10. Cladding |
| 5. Splice | 11. Protective Insert |
| 6. Corner fitting
(Horizontal Shown Vertical
Also Available) | 12. Handrail Brackets and Fittings
Also Available |

Neem nu contact met ons op voor meer informatie:

Frank Fang

E-mail: sales02@launch-china.cn

Mobiel / WhatsApp: +8615906261741