

Onze aluminium tweevoudige deuren zijn ontworpen om maximale draagkracht te geven, terwijl ze slanke zichtlijnen, oversized deuren en minimumprofielen aanbieden.

Aluminiumlegering Wanddikte Oppervlaktebehandeling			
Aluminiumprofielen	6063-T5	1.4-2,0 mm	Zwart/wit/grijs
	Met thermisch break aluminium systeemontwerp voor meer energiebesparende functie		
Glas	Type	Dikte	Kleur
	Gehard glas	4-6 mm	Melkachtig/zwart/luxe wit/ondoorzichtig gelamineerd/mat Combo Glass/Clear/Pattern Glass/Diamond Glass Water-korrelglas/gerookt mat/wit gelamineerd
Hardware	China Top-merk hardware of Duitsland Brand		
Accessoires	EPDM -afdichtingsrubber		
	Roestvrij staal 304# accessoires of aluminium accessoires		
Productstandaard	Basis op de winkeltekeningen die door de koper zijn goedgekeurd		

Hieronder toont foto's een andere status wanneer deze open en gesloten is gevouwen.



Productdetails -



High-Strength Rollers

Durable rollers ensure smooth and stable operation with frequent use.



Secure locking system

Secure locking system enhances safety and offers superior anti-theft protection.



Double Tempered Glass

Multi-layer glass provides excellent soundproofing and insulation.

Test en inspectie van aluminium dubbele glas tweevoudige accordeondeuren-



Inpakken en verzending-

Bubble tas Epe multiplex kratten.



Gerelateerde producten -



Onze workshopfoto's voor aluminium glazen deuren -

