

Shenzhen-lancering produceert hoogwaardige gepolijst roestvrij glazen treinbasis en dop voor frame-loze glazen balkons railing-systemen.



KENMERKEN-

Compact ontwerp met basis, dop en montagebouten (of houtschroeven / lagschroeven)

Voor gebruik met 1/2 "en 3/4" (12 en 19 mm) diktestempered glas of 9/16 "en 27/32" (13,52 en 21,52 mm) gelamineerd gehumeurd glas voor frame-loze glazen railingsystemen.

Hoogwaardig legering 316 roestvrij staal Voor montage op staal, beton of houtsubstraat

Deze heavy-duty **Glass Rail Standoff Base en Caps** Werk met hand of bewakingen.

Part No.	Material	Finish	Body	Bolt size
• SF-30			• 30x10; 30x25mm	• M10x120 bolt
• SF-40	• AISI 304	• Satin	• 40x10; 40x30mm	• M10x72 wood screw
• SF-50	• AISI 316	• Mirror	• 50x12; 50x30mm	• M8x100 bolt
• SF-50A			• 50x12; 50x50mm	• M8 x72 wood screw
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Bolt size
• SF-38Z	• AISI 304	• Satin	• hollow type	• M8x70 hexagonal screw
	• AISI 316	• Mirror	• 38x7.5; 38x38mm	
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Mounting plate size
• SF-50T	• AISI 304	• Satin	• 50x10; 50x30mm	• 200x100x10mm
	• AISI 316	• Mirror	• silicon rubber gasket included	

