


## Roestvrij stalen afstandsklem, Juliet-balkon en geschroefd glassysteem



|                          |                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| productnaam              | Roestvrij stalen afstandsklem, Juliet-balkon en geschroefd glassysteem                                                                      |
| Modelnr.                 | SF-50T                                                                                                                                      |
| Materiaal                | Roestvrij staal 304/316                                                                                                                     |
| Af hebben                | Spiegel gepolijst of gesatineerd                                                                                                            |
| Glazen afstandhouder     | 50x12mm dop, 50x44mm body, 200 * 100 * 10 basis                                                                                             |
| Voor glasdikte           | 12-19mm, of vanaf de eisen van klanten                                                                                                      |
| Geboord glasgat          | Diameter 14mm vereist in glas                                                                                                               |
| Netto gewicht            | 3236g / piece                                                                                                                               |
| Montage                  | houten, stalen of betonnen ondergrond                                                                                                       |
| MOQ                      | Een stuk                                                                                                                                    |
| Monster                  | Beschikbaar                                                                                                                                 |
| OEM & ODM-service        | Aanvaardbaar                                                                                                                                |
| Toepassing               | Binnen- en buitentrappen ontwerp, balkonleuning, frame-loze glazen reling op het dek, Juliet balkonontwerp, zwevende trap                   |
| Fabriek inspectie        | Beschikbaar                                                                                                                                 |
| Afstandhouder verpakking | Een stuk in een zak met bubbels, vervolgens in een witte doos, 12 stuks in een kartonnen doos<br>of verpakking volgens de eisen van klanten |

### Productshow:





**Technische tekening:**



**Projectfoto's:**






**ANDERE SOORTEN GLAS RAILING STANDOFFS BESCHIKBAAR:**  
**Dia 50 mm** Glazen afstandhouder in **Spiegel / Satijnen afwerking Model SF-50:**




**Met betonnen bout & houtschroef Model SF-50W:**



**Technische tekening:**

|                                                                                               |   |                   |   |                                  |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
|-----------------------------------------------------------------------------------------------|---|-------------------|---|----------------------------------|---|---|---|---|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|--|-------------------|--|------------|--|---------------------------|--|----------|--|------------|--|--------------|--|-------------|--|----------------------------------|--|-------|--|----------------|--|-------------------------|--|-------|--|--|--|----------|--|-------|--|--|--|-----------------------|--|---------|--|--|--|----------|--|
| 1                                                                                             | 2 | 3                 | 4 | 5                                | 6 | 7 | 8 | 9 | 10 | 11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 12 |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| Salesman                                                                                      |   | Project name      |   |                                  |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| <div></div> |   |                   |   |                                  |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
|                                                                                               |   |                   |   |                                  |   |   |   |   |    | <table><tr><td colspan="2">深圳市朗驰商贸有限公司</td><td colspan="2">Surface treatment</td><td colspan="2">Proportion</td></tr><tr><td colspan="2">SHENZHEN LAUNCH CO., LTD.</td><td colspan="2">Material</td><td colspan="2">SS 316 1:1</td></tr><tr><td colspan="2">Design Jacky</td><td colspan="2">Drawing NO:</td><td colspan="2">No note of entity size tolerance</td></tr><tr><td colspan="2">Check</td><td colspan="2">Name: Standoff</td><td colspan="2">Linear tolerance X ±0.1</td></tr><tr><td colspan="2">Craft</td><td colspan="2"></td><td colspan="2">XXX ±0.1</td></tr><tr><td colspan="2">Audit</td><td colspan="2"></td><td colspan="2">Angle tolerance X ±1°</td></tr><tr><td colspan="2">Approve</td><td colspan="2"></td><td colspan="2">XX ±0.5°</td></tr></table> |    | 深圳市朗驰商贸有限公司 |  | Surface treatment |  | Proportion |  | SHENZHEN LAUNCH CO., LTD. |  | Material |  | SS 316 1:1 |  | Design Jacky |  | Drawing NO: |  | No note of entity size tolerance |  | Check |  | Name: Standoff |  | Linear tolerance X ±0.1 |  | Craft |  |  |  | XXX ±0.1 |  | Audit |  |  |  | Angle tolerance X ±1° |  | Approve |  |  |  | XX ±0.5° |  |
| 深圳市朗驰商贸有限公司                                                                                   |   | Surface treatment |   | Proportion                       |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| SHENZHEN LAUNCH CO., LTD.                                                                     |   | Material          |   | SS 316 1:1                       |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| Design Jacky                                                                                  |   | Drawing NO:       |   | No note of entity size tolerance |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| Check                                                                                         |   | Name: Standoff    |   | Linear tolerance X ±0.1          |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| Craft                                                                                         |   |                   |   | XXX ±0.1                         |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| Audit                                                                                         |   |                   |   | Angle tolerance X ±1°            |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| Approve                                                                                       |   |                   |   | XX ±0.5°                         |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| Quantity                                                                                      |   | Total             |   | Page                             |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |
| 1                                                                                             |   | 1                 |   | 1                                |   |   |   |   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |             |  |                   |  |            |  |                           |  |          |  |            |  |              |  |             |  |                                  |  |       |  |                |  |                         |  |       |  |  |  |          |  |       |  |  |  |                       |  |         |  |  |  |          |  |





|          |       |      |                                          |       |                   |                                  |           |
|----------|-------|------|------------------------------------------|-------|-------------------|----------------------------------|-----------|
|          |       |      | 深圳市朗馳商貿有限公司<br>SHENZHEN LAUNCH CO., LTD. |       | Surface treatment |                                  | Proport   |
|          |       |      | Design                                   | Jacky | Drawing NO: SF-68 | Material                         | 1:1       |
|          |       |      | Check                                    |       | Name: Standoff    | No note of entity size tolerance |           |
|          |       |      | Craft                                    |       |                   | Linear tolerance                 | X. ±0.1   |
|          |       |      |                                          |       |                   |                                  | X.X ±0.1  |
|          |       |      |                                          |       |                   |                                  | X.XX ±0.1 |
|          |       |      | Audit                                    |       |                   | Angle tolerance                  | X. ±1°    |
|          |       |      | Approve                                  |       |                   |                                  | X.X ±0.5° |
| Quantity | Total | Page |                                          |       | Revision          |                                  |           |
|          |       |      |                                          |       | V001              |                                  |           |

### Projectfoto's:

buiten en binnen glazen afstandhouder, frameleze afstandhouder glazen reling ontwerp, roestvrij staal glazen afstandhouder, glazen afstandhouder pin



**Roestvrijstalen glazen afstandhouder voor frame-loze glazen balustrade**



roestvrijstalen afstandhouder, beugel voor glaspanelen, relingontwerp



Bedrijfsinfo:



Shenzhen Launch Co., Ltd was established in 2004, located at Nanshan District, Shenzhen, and one hour by car from Hongkong International Airport. Our main product is high-grade building materials includes stainless steel balustrade post, staircase handrail, balcony guardrail, swimming pool fence and other high-grade building materials. All the products are designed strictly according to the high-end market requirements. We have our own factory in Tangxia Town, Dongguan, has a variety of precision equipment more than 50 sets: CNC lathe, milling machine, punching machine, pipe cutter, argon welder, drilling machine, polisher, etc. which can provide customers with complete product processing services. With the German SPECTRO Spectrometer, we insist on testing every batch of materials to ensure that the material is highly qualified. We also have hardness gauge, secondary element and other test equipment to ensure the products meets customers' requirements.

## ABOUT US

### Our Team



## OUR ADVANTAGE

Please do not hesitate to contact us if you have any requirement regarding our production lines, you can expect a timely reply with professional solutions!



Own factory, shortest lead time.



Can help customers design product drawings based on customer ideas and design engineering installation drawing according to the customer site sketch.



Sample order, trial order acceptable.



Provide material test report to ensure that the material is qualified.



13 years of industry experience, we can help customers recommend the best solution to help customers save cost.

## OUR FACTORY

More than 13 years experience in hardware industry design and processing, we can provide customized services from design to the sample and small batch trial production.





# OUR CERTIFICATE

With premium quality, competitive price and superior service, we won a lot of customers' favor.  
Our products are popular in North America, European and Australia.



# ***PRODUCTION PROCESS***



Casting



CNC lathe



CNC Milling



Stamping



Drilling & Tapping




Polishing



# PAYMENT & TRANSPORTATION

Welcome Alibaba Trade Assurance Order!



1 Start an order

2 Negotiate terms with our sales service & confirm order

3 Make payment

4 Alibaba provide full assurance





# FAQ

## 1. What materials do you have?

SS304, SS316, SS316L, Duplex 2205, etc.

## 2. Can you send me your whole price list?

Sorry, as the price related to many factors, such as quantity, material type, surface treatment and so on, we will offer you exact quote after we confirm your detailed requirements.

## 3. Do you offer OEM & ODM service?

Yes, we can make the products according to your technical drawings or samples, we are professional in investment casting, die casting, stamping, CNC machining, etc.

## 4. What kind of payment you accept?

T/T, L/C, PayPal, West Union, etc.

## 5. What is your payment term?

TT(30/70) or LC at sight.

## 6. What is your delivery time?

Within 5 workdays for hot-sale items, 15-25 workdays for batch orders.

## 7. Do you offer after-sales service?

Of course, any question after you purchase our products, we will get back to you within 24 hours.

**Neem nu contact met ons op voor meer informatie!**

**E-mail: [sales03@launch-china.cn](mailto:sales03@launch-china.cn)**

**Mob: +8615907334556**



**Eve Chow**

Sales representative

M : +86 159 0733 4556

T : +86 755 8603 7559

E : sales03@launch-china.cn

A : B5-5003, Yilida Bldg, Nanshan District, Shenzhen