

1. Description

- Balustrade Plaatsen voor balkon, tuin, terras, trap glazen balustrade en kabel reling
- Roud Bericht size: $\phi 43\text{mm}$ of $\phi 50.8\text{mm}$, 1100mm hoog
- Square Bericht size: $\phi 40 \times 40\text{mm}$ of $50 \times 50\text{mm}$, 1100mm hoog
- Glass Klem kan worden mached volgens glasdikte. (Normaal 8-12mm glas)
- De Afstand op de post tussen kabelgarnituur als je per eis. (Normaal $\leq 70\text{mm}$)

2. Product foto

STAINLESS STEEL BALUSTRADE AND FITTINGS

KEBIL 比美 SHENZHEN LAUNCH CO., LTD

BALUSTRADE POST

Crossbar balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$\phi 43\text{mm}$ or $\phi 50.8\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-101 LCH-102

Glass balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$\phi 43\text{mm}$ or $\phi 50.8\text{mm}$, $40 \times 40\text{mm}$ or $50 \times 50\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-103 LCH-104 LCH-105

Model No. : LCH-120

Glass standoff balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$40 \times 40\text{mm}$ or $50 \times 50\text{mm}$
Standoff bracket size	$\phi 50\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-120

Model No. : LCH-122

Glass spider balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$40 \times 40\text{mm}$ or $50 \times 50\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-122

LCH-121

Model No. : LCH-123

Cable balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$\phi 43\text{mm}$ or $\phi 50.8\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-123

Model No. : LCH-124

Cable balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$50 \times 10\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-124

07/08

3. Project tonen

- glass railing project









--cable railing project







3.Details











4.Delivery & Inpakken

Levering: 3-5 dagen per expresse. 10-15 dagen door de scheepvaart

Verpakking: een pc in een plastic zak, dan in een doos.

Levertijd: ongeveer 20 dagen na betaling. (Het depent op kwantiteit)







packing	plastic bag+box+carton
production lead time	30-45 days ; also depending on your qty.
Shippment	 
	 
	 
payment	 

5. Factory & certificaat





6. Customers





**build &
renovating
expo**

Friday 4 July - Sunday 6 July 2014
Melbourne Exhibition Centre



7.Contact



董 萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

💻 www.launch-china.com

www.chinabalustrade.com

Bedankt voor het bezoeken. Gelieve niet heasite ons te contacteren voor de fabriek direct prijs en professionele adviseert.