

**zwarte verf roestvrij stalen ronde glazen kraan, voor frameloze
zwembadafscheidings, andere kleuren ook verkrijgbaar.**

Productomschrijving

Product Mame	zwarte verf RVS ronde glazen spie
Materiaal	Roestvrij staal 316 / duplex 2205
Af hebben	Spiegel gepolijst / satijn geborsteld
Voor Glass Thickness	8-13.52mm
Hoogte	168mm
spigot basismaat	100x100mm
Netto gewicht	1.08kg / piece
Fabricage methode	Gieten (hoge kwaliteit)
Details over de verpakking	1) Een stuk in een zak met bellen, vervolgens in een witte doos 2) 12 stuks in karton van 365x330x230mm 3) Verpakking als eisen van klanten
Toepassing	Zwembad hek, balkon glazen balustrade, dek frameeloos glazen balustrade, trappen
Certifikation	Ja. Meet Australië en Nieuw Zeeland standaarden
Sruim	Beschikbaar
MOQ	1 stuk
OEM & ODM Service	Beschikbaar

zwarte verf RVS ronde glazen spie Destails

1) Technische tekening van de glazen spiebaan

2) zwarte verf roestvrijstalen ronde glazen spie



Andere paiting-kleuren beschikbaar





2012/10/13






3) Installatiehandleiding voor duplex 2205 roestvrijstalen vierkante terrasstap



fixing method: base plate spigots

Mark out the centre line of proposed glass fence with a chalk line. Determine clamp location based on a sheet size (recommendation on pages 1 & 2). Use base plate as a template to mark out the hole positions and drill holes to suit.


Note: Do not exceed 100mm gaps between glass panels. Optimum gap is 40mm to 60mm



Now the base plated spigots can be fitted to the floor and plumbed via shims (not supplied) under the base plates. Be sure to tighten firmly as the smallest of movement at the base plate will result in noticeable movement at the bottom of the glass fence.


Tip: By setting the two outer spigots of your total span, a string line can be run in the 'throat' of the spigots, giving correct height for all spigots in between

Note: Do not exceed 100mm gap from the fixing surface to the bottom of the glass



When all spigots are installed, slip domical cover the top of the spigot to hide fixings. It will be necessary to turn the adjustment screws on the spigot face all the way in to allow cover to pass over


Note: Same installation method applies to round base plate spigot



The glass is then installed to the spigots.
Place plastic packers between glass & spigot, at no stage should glass touch the metal

How adjustability works:

1. Place glass in spigot
2. Fix/ tension glass both sides with allen key



Veiligheidsverpakking voor duplex 2205 roestvrijstalen vierkante terraslap

1. Een stuk in een zak met bellen, vervolgens in een witte doos.
12 stukjes in karton van 365x330x230mm.
2. Verpakking als customers 'requirements.



duplex 2205 roestvrijstalen vierkante dek glazen spie Projecten





FAQ

1. welk materiaal heb je?

SS304, SS316, SS316L, duplex 2205, ect.

2. Kunt u mij uw volledige prijslijst sturen?

Sorry, omdat de prijs betrekking heeft op veel factoren, zoals hoeveelheid, materiaaltype, oppervlaktebehandeling, enzovoort, bieden we u een exacte offerte nadat we uw gedetailleerde vereisten hebben bevestigd.

3. Do u OEM & amp aanbieden; ODM service?

Ja, we kunnen de producten maken volgens uw technische tekeningen of monsters. Wij zijn professioneel in het gieten van investeringen, spuitgieten, stampen, CNC-bewerking, enz.

4. Wat voor soort betaling accepteert u?

T / T, L / C, PayPal, West Union, etc.

5. Wat is uw betalingstermijn?

T / T (30/70) of L / C op zicht.

6. Wat is uw levertijd?

Binnen 5 werkdagen voor hot-sale items. 15-25 werkdagen voor badorders.

7. Do u biedt de naverkoopdienst?

Uiteraard, na het aanschaffen van onze producten, zullen wij u binnen 24 uur een antwoord bezorgen.

Bedrijfsinfo.

Shenzhen Launch Co., Ltd was established in 2004, located at Nanshan District, Shenzhen, and one hour by car from Hongkong International Airport. Our main product is high-grade building materials includes stainless steel balustrade post, staircase handrail, balcony guardrail, swimming pool fence and other high-grade building materials. All the products are designed strictly according to the high-end market requirements. We have our own factory in Tangxia Town, Dongguan, has a variety of precision equipment more than 50 sets: CNC lathe, milling machine, punching machine, pipe cutter, argon welder, drilling machine, polisher, etc. which can provide customers with complete product processing services. With the German SPECTRO Spectrometer, we insist on testing every batch of materials to ensure that the material is highly qualified. We also have hardness gauge, secondary element and other test equipment to ensure the products meets customers' requirements.

ABOUT US

Our Team



OUR ADVANTAGE

Please do not hesitate to contact us if you have any requirement regarding our production lines, you can expect a timely reply with professional solutions!



Own factory, shortest lead time.



Can help customers design product drawings based on customer ideas and design engineering installation drawing according to the customer site sketch.



Sample order, trial order acceptable.



Provide material test report to ensure that the material is qualified.



13 years of industry experience, we can help customers recommend the best solution to help customers save cost.

OUR FACTORY

More than 13 years experience in hardware industry design and processing, we can provide customized services from design to the sample and small batch trial production.



OUR CERTIFICATE

With premium quality, competitive price and superior service, we won a lot of customers' favor.

Our products are popular in North America, European and Australia.



PRODUCTION PROCESS



Casting



CNC lathe



CNC Milling



Stamping



Drilling & Tapping



Polishing




PACKAGING & DELIVERY



PAYMENT & TRANSPORTATION

Welcome Alibaba Trade Assurance Order!



1 Start an order

2 Negotiate terms with our sales service & confirm order

3 Make payment

4 Alibaba provide full assurance



CONTACT US

WELCOME TO CONTACT US. WE WILL DO OUR BEST TO HELP YOU!



CELIA CHEN



Email : sales01@launch-china.cn



Skype : launch-01



Mob. 86-13590273543

