

Demeestpopulairzelfsluitende roestvrijstalen hydraulische glazen deurscharnieren serie toegepast voor glazen douchedeuren. Het is niet alleen van hoge kwaliteit (roestwerend), maar houdt het ook stil terwijl je de deur sluit.

Kenmerken van hydraulisch glazen deurscharnier -

- Type - 90 graden glas aan de muur
- Max. Hoogte deurbreedte - 1 000 mm
- Max. Hoogte deurgewicht - 60kg
- 304 of 316 roestvrij staal
- satijn / spiegel / zwarte afwerking
- stopt bij 90 graden, sluit automatisch en regelbare snelheid

KEBIL 科比奥®





90 graden & 180 graden glazen deurscharnier met roestvrijstalen materiaal -




90 graden glazen deurscharnier (roestvrij staal materiaal en aluminium materiaal) -



Hoe een glazen deurscharnier te installeren?

HINGE PARTS



MAIN BODY CONFIGURATION

TOP HALF CONFIGURATION



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG THE DESIGNATED SLOT OF THE ACRYLIC DOOR



STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF OF THE HINGE, ALIGNING WITH THE MAIN BODY



STEP 3 - INSERT THE BOLTS AND TIGHTEN WITH A 4mm HEX KEY



NOTE: REFER TO THE PICTURE BELOW AFTER THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED WILL ALREADY BE SET, NO NEED TO ADJUST



MAKE SURE THE SCREW HEADS FACE INSIDE THE ROOM WHEN ATTACHING THE DOOR.

Pakagingfoto's van glazen deurscharnieren



