

Mini slot leuning wordt vooral veel gebruikt als top leuning rond het zwembad of een balkon of trap .zijn mini uitstraling maakt de leuning kijken slim en mooi. We hebben vierkant type en rond het type beschikbaar, dus doe thewhole set van fittingen.

Specificaties van slot leuning:

Materiaal: roestvrij staal 316 / 316L

Afwerking: mat of glanzend gepolijst

Rond slot spoor dimensie: Dia 25,4 mm, groef 14 * 14 mm, 5,8 meter per lengte

Vierkante dimensie slot spoor: 25 * 21mm, groef 14 * 14 mm, 5,8 meter per lengte

Hulpstukken inbegrepen: eindkap (RD & amp; SQ); straight 180 graden connector (RD & amp; SQ); 90 graden connector (RD & amp; SQ); muur naar het spoor connector (RD & amp; SQ)

Toepassing: gebruikt als hoogste leuning, rond zwembad, balkon, trap etc

Product van de sleuf leuning, vierkante en ronde


Shenzhen Launch Co.,Ltd

Square slot handrail & fittings

slot handrail length : 5.8 meters






Square handrail fittings :		
Square cap		
Square wall to rail connector		
Square 180 deg. Connector		
Square 90 deg. Connector		

www.launch-china.cn

Shenzhen Launch Co.,Ltd

Round slot handrail & fittings

slot handrail length : 5.8 meters



round handrail fittings :

round cap



round wall to rail connector



round 180 deg. connector



round 90 deg. connector



www.launch-china.cn



Square slot handrail series



Round slot handrail series

Project tonen

Shenzhen Launch Co.,Ltd



^o^email:sales03@launch-china.cn

Shenzhen Launch Co.,Ltd



www.launch-china.cn