

Aluminiowe, składane okna przesuwne

Specyfikacja produktu

Specyfikacja	
Nazwa produktu	Aluminiowe drzwi przesuwne z przegrodą termiczną
Opcje profilu	Marka profilu: chińska marka
	Grubość profilu: 2,0mm
	Obróbka powierzchniowa: Malowanie proszkowe, anodowanie, powlekanie PVDF itp.
	Kolor: biały, czarny, szary, kolor niestandardowy
Opcje szkła	Specyfikacja standardowa: 5mm27A5mm
	Materiał: szkło hartowane
	Kolor: Ultra przezroczysty, przezroczysty, matowy, szary, zielony, kolor niestandardowy
	Rodzaje: Szkło pojedyncze, szkło laminowane itp.
Inne akcesoria	Listwa uszczelniająca: materiał EPDM
	Zamek: najlepsza chińska marka
	Tor: Szyna ze stali nierdzewnej
	Wałek: poliamid o wysokiej wytrzymałości


Zdjęcia produktów i szczegóły







C1



C2




C3




C4



C5



C6



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage

- Water tightness
- Air tightness



Safety hardware


- Automatic lock and child lock configuration to enhance safety performance



Single panel glass




Double panel glass




Triple panel glass

Configuration


Doors



Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows



Awning




Casement



Louvre



Sliding




Window Wall



Bay



Fixed



Double Hung



Bi-fold




Screens

Kolory profili aluminiowych




Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass

APPLICATION



ENTRANCE



BACKYARD



LIVING ROOM



DINING ROOM



BALCONY



DECK

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine

Jeśli są Państwo zainteresowani produktami, prosimy o kontakt

Franka Fanga

WhatsApp/telefon: 8615906261741

E-mail: sales02@launch-china.cn