

[Balustrada poręczy aluminiowych](#), Profil aluminiowy do poręczy szklanych

Opis produktu

Produkt Mamnie	Aluminiowa poręcz poręcz
Materiał	Aluminium 6063 T5
koniec	Powłoka proszkowa (czarna, biały, szary lub kolor klienta)
Maksymalna grubość szkła	12 mm
Square Wymiar	50x50mm, 3mm gruby
Runda Dimencja	Średnica 50mm, Grubość 3 mm
Wysokość Standrad	1265mm lub klientów " wysokości
Instalacja	Montaż powierzchniowy lub montaż wiertła rdzeniowego
Raport o wytrzymałości	tak
Gotowy do instalacji	tak
Szkło do Floor Gap	50mm
Koniec doap do soldzewczyzna reistnienie	10 mm
Sprzedany jak Zestaw	podstawa plast i pokrywa, górna końcówka, 50mm długość spawana aluminiowa wkładka na dole, plastikowe siedzisko na szklane siedzenie, plastikowy kanał
Rodzaje	1) połowa 2) w jedną stronę 3) 2 stopnie 180 stopni 4) 2 stopnie 90 stopni 5) 2 sposoby 135 stopni
Aplikacja	ogrodzenie pływakie, balustrada szklana balkonowa, aluminiowe relingi pokładowe, schodek poręcz
Próba	Dostępne do sprawdzenia jakości przed zamówieniem
Kontrola fabryki	Dostępny

Aluminium Handrail Post Destails

1) okrągłe aluminiowe słupki poręczy



2) kwadratowe aluminiowe słupki poręczy



3) Rysunek słupów aluminiowych






Aluminiowe poręcze Posts Fittigs

Okładki



Zaślepki



Spawanie płytą podstawową



Badanie wytrzymałościowe Report

Introduction

MTS Metallurgical Testing Services was engaged at the client's request to witness the installation of a sample pool fence post and to subsequently conduct load tests on the post to the requirements of the Australian Standard AS 1926.1 - 2012.

Standard/Specification AS 1926.1 - 2012, Section 3.2 and Appendix B

Results Summary

(For details of individual tests, refer to the tables on the following pages.)

ID	Item/Heat No.	Dimensions/Type/Details	Finish	Overall Assessment
14110/01	ASB1265	1265mm High, 50mm Square, Aluminium, Base Plate	6063-T5	COMPLIES

Remarks

After completion of the testing, the post was found to be in sound condition with no breakage, tearing or signs of fracture and no looseness of the fixings.


Colin Lorrimer
Metallurgical Testing Manager



Accreditation No: 15624
Accredited for compliance
with ISO/IEC 17025

Aluminiowe Projekty Szklarniowe

Schody zewnętrzne aluminiowe poręcze w Norwegii.



Płot pływacki w Australii.



Konstrukcja aluminiowa balustrad balkonowych w Kanadzie



Kontakt

Wszelkie zapytania lub pytania, proszę zostawić wiadomość. Wracamy do Ciebie tak szybko, jak to

możliwe!

W przypadku jakichkolwiek pilnych pytań prosimy o kontakt, jak poniżej

Skype: launch_04

wechat: 973219879

Mob / co się dzieje: + 86-13530506265



董萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

🌐 www.launch-china.com
www.chinabalustrade.com