ProduktDane techniczne:

| | | |
|---|---|---|
| Nazwa produktu | Deck Balustrada Poręczy Aluminium Baza Baza Buty Bezramowe Szklane Balustrada Balkon Glass Railing | |
| Model | ALU-1262. | |
| Całkowita wysokość | 950/1050 / 1150mm lub dostosowany | |
| Materiały | Buty podstawowe | Aluminium 6063. |
| | Poręcz do rur gniazda | SS304. |
| | | SS316. |
| koniec | Poręcz do rur gniazda | 1.Mirror # 600 # 800 |
| | | 2.Satin # 180 # 240 # 320 # 400 |
| | | 3.POWDER Coated. |
| | | 4.Electropated. |
| | Kanał bazy | 1. Anodowany standard na zewnątrz |
| | | 2. Powlekany proszkowo (czarny, biały itp.) - Standard zewnętrzny |
| | | 3. Wykończenie młyna aluminiowego<br>& SS304 / 316 Cover (lustro, satyna, galwanizacja kolorów) |



Buty bazowe aluminiowe:



TopSzczeryRuraPoręczIAkcesoria:




**25×21MM, GROOVE 14×14MM**

Surface treatment: satin brushed / mirror polished

25*21 tube

**Model: SQ2521**




**DIAMETER 25.4MM, GROOVE 14×14MM**

Surface treatment: satin brushed / mirror polished

**Model: RD2525**

KEBIL科比奥® SHENZHEN LAUNCH CO.LTD
LAUNCH INTERNATIONAL LIMITED

**Dia25.4mm slotted handrail tube**
**14x14mm groove**

**180 degree joiner**

**90 degree joiner**

**wall-rail joiner**

**end cap**

Zapraszamy do kontaktu, jeśli konieczne dalsze informacje:
Przeddzień
E-mail: sales03@launch-china.cn.
HP / WhatsApp: +8613686807796