


Kanał aluminiowego U z okrągłą górną szyną ze stali nierdzewnej







Bezramowa Balustrada szynie aluminiowej U Kanał Szkło Barrierki Hardware



1m aluminum channel contains the following accessories



Waterproof tape
2 meters




Aluminum and plastic fittings
3 sets



Expansion bolts
3 pieces

Szklane balustrady z aluminium Dane techniczne:

PORĘCZ CZĘŚĆ - PIWNICA	MATERIAŁ	Wymiary (mm)	Powierzchnia wykończona	PASUJĄCE SZKŁA Grubość (mm)
Kanał U / U profilu	aluminiowejlloy	102 * 62	Anodowanie / malowania natryskowego	12-13.52
		102 * 67		8 + 1,52 + 8
		102 * 70,5		10 + 1,52 + 10
Wewnątrz systemu & Bolt	3 lub 4 m długości na			
Elewacje	SUS 304 / SUS 316	102.	Szczotkowane / Lustro	/
Guma	Plastikowy	Różny	Czarny	Wszystko



Profil aluminiowy Podstawa U Glass poręczy balustrad w czerni Kolor:



Do dyspozycji modele:

LCH-A01 / A02: bez / z okładziny do zastosowania ze szkła 20mm do 21.52mm

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces

LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Decorative cover 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces

LCH-B01 / B02: bez / z okładziny do zastosowania ze szkła 16mm do 17.52mm

LCH-B01

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-C01 / C02: bez / z okładziny do użytku z 12mm do 13.14mm szkła

LCH-C01

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-C02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-D01 / D02: bez / z okładziny do użytku z 12mm do 13.14mm szkła

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters





Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

Masowa produkcja i pakowanie













Więcej typów balustrady ALUMINIUM U kanał dla szkła:

Small profile: for glass thickness 10-12.76mm




Big profile: for glass thickness 20-30mm




SLOT TUBE PORĘCZY:









- | | |
|--|--|
| 1. Aluminum Railing Base | 7. End Cap |
| 2. Stainless Cap Screw | 8. Setting Block |
| 3. ½" Tempered Float Glass | 9. Expansive Cement |
| 4. Top Rail | 10. Cladding |
| 5. Splice | 11. Protective Insert |
| 6. Corner fitting
(Horizontal Shown Vertical
Also Available) | 12. Handrail Brackets and Fittings
Also Available |

Skontaktuj się z nami aby uzyskać więcej informacji:

Frank Fang

E-mail: sales02@launch-china.cn

Mobile / Whatsapp: +8615906261741