


Gorąca sprzedaż Bezramowe szyny szkła czarny kanał aluminiowy z topową szyną





Bezramowa szyna balustrady aluminiowa Kanałowa szyna szklana



1m aluminum channel contains the following accessories



Waterproof tape
2 meters




Aluminum and plastic fittings
3 sets



Expansion bolts
3 pieces

Specyfikacje balustrady szkła aluminiowego:

Część poręcza - piwnica	MATERIAŁ	Wymiar (mm)	Powierzchnia zakończona	Odpowiedni grubość szkła (mm)
UP profil kanału / u	Aluminium A.lloy.	102 * 62.	Anodowanie / farba rozpyłowa	12-13.52.
		102 * 67.		8 + 1,52 + 8
		102 * 70.5.		10 + 1,52 + 10
Wewnątrz systemu i śruby	3 lub 4 metry na długość			
Okładzina	Sus 304 / sus 316	102.	Szczotkowane / lustro.	/
Guma	Plastikowy	Różny	Czarny	Wszystko



Baza aluminiowa U Profil dla balustrady szklanej balustrady w kolorze czarnym:



Do dyspozycji Modele:

LCH-A01 / A02: bez / z okładziną do użytku z 20 mm do 21.52 mm szkła

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-B01 / B02: Bez / z okładziną do użytku z 16 mm do 17.52 mm szkła

LCH-B01

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Decorative cover 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-C01 / C02: Bez / z okładziną do użytku z 12 mm do 13,14 mm szkła

LCH-C01

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-C02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Decorative cover 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces



LCH-D01 / D02: bez / z okładziną do użytku z 12 mm do 13,14mm szkła

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters





Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

Masowa produkcja i pakowanie

















Poręcz rurki do gniazda:







- | | |
|--|--|
| 1. Aluminum Railing Base | 7. End Cap |
| 2. Stainless Cap Screw | 8. Setting Block |
| 3. ½" Tempered Float Glass | 9. Expansive Cement |
| 4. Top Rail | 10. Cladding |
| 5. Splice | 11. Protective Insert |
| 6. Corner fitting
(Horizontal Shown Vertical
Also Available) | 12. Handrail Brackets and Fittings
Also Available |

Skontaktuj się z nami aby uzyskać więcej informacji:

Wendy: sales04@launch-china.cn.

Mobile / WhatsApp: +861593339827