





Wnętrze schody szklane Stainless Stainless Steel Glass Balustrada

1.	Materiał i wykończenie	Stal nierdzewna 304/316; Wykończenie satynowe lub lustrzane
2.	Wzrost	1000mm / rozmiar niestandardowy
3.	Post.	Rura D50.8 * 1,5 (mm); 4-drogowy regulowany górny wspornik kolejowy; Kwadratowy lub okrągły szklany zacisk.
4.	Górna szyna	D50.8 * 1,5 (mm) pusta rura
5.	Balustrada bezpieczeństwa	Szkló szklane szkło 10 mm / 12 mm
6.	Stosowanie & Lokalizacja	Balustrad, balustrada, balustrada, ogrodzenie, poręcze, balustrady; Balkon, most, pokład, ogród, patio, basen, ganek, schody, taras
7.	Instalacja	Zamontowany na górze / boczne
8.	Pakiet	EPE + Wewnętrzna skrzynka + karton

Produkt Pokazać



TechnicznyRysunek



Square post railing design with handrail



End post



90 Degree corner post



Middle post

Instalacja:

Glass Clamp Installation Guide



Mark and centre punch desired location of blind rivet nut location.



Drill centre punched hole in tube to suit blind rivet nut.



Insert blind rivet nut into tube and fasten with blind rivet tool.



Check installed blind rivet nut is secure and ready for install.



Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Pokaż projekt

Wnętrze schody szklane Stainless Steel Glass Balustrada
W przypadku projektów schodów / pokładów:



**Witamy w kontaktnas więcej szczegółów:
Wendy: sales04@launch-china.cn.
HP / Whatsapp / Wechat: +8615989339827**