

Uchwyt ze stali nierdzewnej ze szkła płaskiego tyłu zaprojektowano w zależności 3/8 " szkło i plac po. Jest on powszechnie stosowany w systemie poręczy szkła do projektowania schodów, balkon, basen ogrodzenia.

To jest łatwe do instalacji i niskie koszty konserwacji.


Pokaż produkt

1.brushed wykończenie



**G104 glass clamp, flat**

2.comparision między satyny i lustrzanym wykończeniem



3.rubber uszczelka do regulacji i ochrony panelu podczas montażu szkła



4.Project pic



Podręcznik 5.installation do zacisku szkła

## Glass Clamp Installation Guide



1  
Mark and centre punch desired location of blind rivet nut location.



2  
Drill centre punched hole in tube to suit blind rivet nut.



3  
Insert blind rivet nut into tube and fasten with blind rivet tool.



4  
Check installed blind rivet nut is secure and ready for install.



5  
Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



6  
Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



6a  
If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



7  
Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



8  
Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Inny projekt szkła zaciski do popytu. Mogą one posiadać 5/16", 1/4" 1/2" szkło.  
Zacisk 1.glass z podstawy łuku do okrągłego postu  
porcelana szkło zacisk 1/2 & quot;, dobrej jakości stal nierdzewna 316  
okrągły zacisk po szkło, zacisk po poręczy schodów szkła





2.square zacisk kształt szkła z płaskim dnem i okrągłym dnem

Typ kwadratowy stal nierdzewna Szkło dla schodów zacisk, zacisk ze stali nierdzewnej szkło z płaską podstawą do poręczy balkonu



pakowane



**Packaging details:**

**10 pcs/ box (210\*60\*60mm)**

**10 boxes/carton(325\*220\*140mm).**





Warunki płatności:

1.T / T

2.Western

Metoda dostawy

1.by wyrazić: UPS, FedEx, DHL

2.by powietrza

Morze 3.by

Zapraszamy do kontaktu ze mną, jeśli jesteś zainteresowany. To Susie 😊