

Specifications

Product name	Aluminium Alloy Sliding Windows Double Glazed Tempered Glass Windows
Material	Aluminum alloy 6063-T5 profile + Glass+ Accessories
Profile Options	Profile brand: Chinese Brand
	Profile thickness: 2.0mm
	Surface treatment: Powder coating, Anodizing, PVDF coating, etc.
	Color: White, black, grey, custom color
Glass Options	Standard specification: 5mm+27A+5mm
	Material: Tempered glass
	Color: Ultra clear, clear, frosted, grey, green, custom color
	Types: Single glass, laminated glass, etc.
Other accessories	Sealing strip: EPDM materail
	Lock: Chinese Top Brand
	Track: Stainless steel rail
	Roller:high-strength polyamide






Window types



C1



C2




C3



C4




C5




C6

Glass Types


Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass




Low-E glass




Reflective glass



Single panel glass



Double panel glass




Triple panel glass



Safety hardware

- Automatic lock and child lock configuration to enhance safety performance



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage


- Water tightness
- Air tightness



Applications



Kitchen



Home



Doorway



Living room



Bedroom



Hostel

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine