

Aluminium Bifold Folding Sliding Windows

Product specification

Specification	
Product name	Thermal Break Aluminum Sliding Doors
Profile Options	Profile brand: Chinese Brand
	Profile thickness: 2.0mm
	Surface treatment: Powder coating, Anodizing, PVDF coating, etc.
	Color: White, black, grey, custom color
Glass Options	Standard specification: 5mm+27A+5mm
	Material: Tempered glass
	Color: Ultra clear, clear, frosted, grey, green, custom color
	Types: Single glass, lamimated glass, etc.
Other accessories	Sealing strip: EPDM materail
	Lock: Chinese Top Brand
	Track: Stainless steel rail
	Roller:high-strength polyamide


Product Pictures and details







C1



C2




C3




C4



C5



C6



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage

- Water tightness
- Air tightness



Safety hardware


- Automatic lock and child lock configuration to enhance safety performance



Single panel glass




Double panel glass




Triple panel glass

Configuration


Doors



Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows



Awning




Casement



Louvre



Sliding




Window Wall



Bay



Fixed



Double Hung



Bi-fold




Screens

Aluminum profile colors




Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass

APPLICATION



ENTRANCE



BACKYARD



LIVING ROOM



DINING ROOM



BALCONY



DECK

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine

Please feel free to contact us if you are interested in the products

Frank Fang

WhatsApp/Phone: +8615906261741

Email: sales02@launch-china.cn