


Specification	
Product name	Aluminium Sliding Door Bifold Folding Patio Door Thermal Break Double Folding Tempered Glass Doors
Material	Aluminum alloy 6063-T5 profile + Glass+ Accessories
Profile Options	Profile brand: Chinese Brand
	Profile thickness: 2.0mm
	Surface treatment: Powder coating, Anodizing, PVDF coating, etc.
	Color: White, black, grey, custom color
Glass Options	Standard specification: 5mm+27A+5mm
	Material: Tempered glass
	Color: Ultra clear, clear, frosted, grey, green, custom color
	Types: Single glass, laminated glass, etc.
Other accessories	Sealing strip: EPDM materail
	Lock: Chinese Top Brand
	Track: Stainless steel rail
	Roller:high-strength polyamide





D-shape Handle

The Folding Process is easy to operate



Heavy-Duty Hinge

Single Weight **150kg**



Top Wheel

Prevent The Door From Swinging From Side To Side




Return Pulley


Easy Folding Push Smooth Without Resistance

Configuration


Doors



Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows




Awning




Casement



Louvre



Sliding




Window Wall



Bay



Fixed



Double Hung



Bi-fold




Screens

Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass



LIVING ROOM



BALCONY



KITCHEN



BEDROOM

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine