

Shenzhen Launch manufactures easy to install black color powder coated Black steel architectural design outdoor guard rail kit. We offers complete sets of fittings for customers to do the installation easily .

Features of outdoor guard rail kit-

Material	Galvanized steel
Finish	black color powder coating
Size	Top handrail 80*40mm ; 40*40mm post,12*12mm vertical rails , 32*32mm middle rail
Assembly	easy DIY
MOQ	1 meter

Black steel architectural design outdoor guard rail kit-

















Guard Rail assembly instructions-

# Guard Rail Assembly Instructions

**Tools Required:** Electrical Power Drill  
(Impact Drill Preferred)


**Overview:** Assemble the rail and position it before marking holes for drilling. Improper installation can lead to failure of rail system or injury.

- 1** Roughly position the 2 posts.
  - 2** Put the post base caps on without securing them.
  - 3** Secure top rail & post with brackets - 4 screws each.
  - 4** Add the ends to the top rail.
  - 5** Secure inside rail with brackets - 2 screws each.<sup>1</sup>
  - 6** Position whole rail. Mark the 4 holes on each post.
  - 7** Remove hand rail, drill holes straight down, and hammer in bolts.<sup>2</sup>
  - 8** Put hand rail over bolts, tighten nuts onto bolts.
  - 9** Insert the vertical railings.
  - 10** Secure all of the inner rail.<sup>3</sup>
- <sup>1</sup> Inside rail will be loose until each post is secured to the ground.
- <sup>2</sup> Double check posts are parallel and tight against inside rail before marking holes for drilling.
- <sup>3</sup> Push and pull top rail & inside rail to ensure all is secure.

Production photos of galvanized steel guard rail kit-















Guard Rail galleries -





[www.chinabalustrade.com](http://www.chinabalustrade.com)

