

Shenzhen Launch manufactures easy to install Exterior zinc Steel Guard Rail System We offers complete sets of fittings for customers to do the installation easily .

Features of Exterior zinc Steel Guard Rail System-

Material	Galvanized steel or aluminum
Finish	black color powder coating
Size	Top handrail 80*40mm ; 40*40mm post,12*12mm vertical rails , 32*32mm middle rail
Assembly	easy DIY
MOQ	1 meter

Exterior zinc Steel Guard Rail System, sample set -







Exterior zinc Steel Guard Rail System assembly instructions-

Guard Rail Assembly Instructions

Tools Required: Electrical Power Drill
(Impact Drill Preferred)


Overview: Assemble the rail and position it before marking holes for drilling. Improper installation can lead to failure of rail system or injury.

- 1 Roughly position the 2 posts.
 - 2 Put the post base caps on without securing them.
 - 3 Secure top rail & post with brackets - 4 screws each.
 - 4 Add the ends to the top rail.
 - 5 Secure inside rail with brackets - 2 screws each.¹
 - 6 Position whole rail. Mark the 4 holes on each post.
 - 7 Remove hand rail, drill holes straight down, and hammer in bolts.²
 - 8 Put hand rail over bolts, tighten nuts onto bolts.
 - 9 Insert the vertical railings.
 - 10 Secure all of the inner rail.³
- ¹ Inside rail will be loose until each post is secured to the ground.
- ² Double check posts are parallel and tight against inside rail before marking holes for drilling.
- ³ Push and pull top rail & inside rail to ensure all is secure.

Production photos of Exterior zinc Steel Guard Rail System-















Guard Rail galleries -





www.chinabalustrade.com

