

Kebil Back Color Stainless Steel Railing Glass Fence Clamp G105

Product Name	Black glass clamp
Brand	Kebil
Material	Stainless steel 304, 316
Surface Treatment	Satin brushed, mirror polished, black
Package	Individually In Plastic Bag, Standard Carton For Outer Packing
Certificate	ISO 9001-2000
Usage	(1) For Construction And Handrail Use. (2) In Shopping Mall, House. Railing Glass Clamps
Features	Made Of Stainless Steel, Beautiful Outlook, Easy To Clean, Good Quality Etc.
Related Keywords	Glass Clamp / Stainless Steel Glass Clamp / Stainless Steel Clamp / Glass Balustrade Clamp / Glass Clip / Frameless Glass Clamp
Application	Decoration, Widely Used On Stainless Steel Balustrade & Handrails. Indoor Or Outdoor Decorations.
Lead Time	2-4 weeks.
MOQ	10 pieces.

Port: Shenzhen, China

Trade terms available: FOB , CIF , C&F , CFR , EX-WORKS

Payment terms available: T/T ; L/C at sight ; Western Union , Alibaba Escrow

Product Images:






Black matt



Black gloss



Item No.	A	B	C	D
G103	50	40	22	8
G104	50	40	26	12
→ G105	54	45	28	14
For 10-12mm glass				



180 Degree Black Glass Clamp BC-8035



90 Degree Black Glass Clamp PV-90





Project Photos:





Different types of glass clamps with dimensions:

Specifications of all glass clamps in our company

Drawing	Picture	Ref.	A	B	C	D	E
		G108	55	55	25	11	0
		G108R	58	55	30	11	R25.4
		G101	51	41	25	11	0
		G101R	55	41	25	11	R21.5/R25.4
		G102	44	44	25	11	0
		G102R	48	44	25	11	R21.5/R25.4
		G103	50	40	22	8	0
		G104	50	40	26	12	0
		G105	54	45	28	14	0
		G107	63	45	28	14	0
		G103R	52	40	22	8	R21.5
		G104R	52	40	26	12	R21.5
		G105R	58	45	28	14	R21.5/R25.4
		G107R	66	45	28	14	R21.5/R25.4
		G106	50	40	25	12	0
		G106R	52	40	25	12	R21.5/R25.4

This type of glass clamp can be fixed to square post and wall.

the clamp usually used with stainless steel post to hold glass panels, for balcony railing, terrace railing, staircase. Suitable for both indoor and out door.



Contact us immediately for more information!

Email: sales03@launch-china.cn

Mob: +8613686807796