

Mirror Polished Stainless Steel Glass Standoff Pins for Frameless Glass Railings

Specifications:

- *** Mirror Polished Stainless Steel Glass Standoff Pins for Frameless Glass Railings
- *** Fascia/side mount to leave enough space
- *** Easy to align the glass during installation
- *** Glass is adjustable after installation
- *** Material 304 or 316 or 316 L stainless steel
- *** Finish brushed or polished or black gloss or black matt
- *** Different diameter or length are available



Features of round standoff base and cap:

Product Name	Mirror Polished Stainless Steel Glass Standoff Pins for Frameless Glass Railings
Material	Stainless steel 304/316, duplex 2205
Size	Diameter 38mm(1 1/2"), 40mm or 50mm(2"), cap 10mm, base length adjustable from 25-35mm
Usage	Indoor and outdoor staircases design, balcony railing, deck frameless glass railing, Juliet balcony design, floating staircase
Mounting Substrate	For mounting to wood, concrete or steel
Finish Option	Mirror polished or satin brushed or black gloss or black matt
Fit Glass Thickness	10-21.52mm
Glass Type	Laminated or Monolithic
Customization	Available





Other models of glass standoffs as below-



Part No.	Material	Finish	Body	Bolt size
▪ SF-30	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ 30x10; 30x25mm ▪ 40x10; 40x30mm ▪ 50x12; 50x30mm ▪ 50x12; 50x50mm ▪ silicon rubber gasket included	▪ M10x120 bolt ▪ M10x72 wood screw ▪ M8x100 bolt ▪ M8 x72 wood screw
▪ SF-40				
▪ SF-50				
▪ SF-50A				



Part No.	Material	Finish	Body	Bolt size
▪ SF-38Z	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ hollow type ▪ 38x7.5; 38x38mm ▪ silicon rubber gasket included	▪ M8x70 hexagonal screw



Part No.	Material	Finish	Body	Mounting plate size
▪ SF-50T	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ 50x10; 50x30mm ▪ silicon rubber gasket included	▪ 200x100x10mm



Production and packing photos of glass standoffs -





Installation photos of glass standoff railings-





KEBIL 科比奥®





Welcome to contact us for further information:

Wendy

Email: sales04@launch-china.cn

HP/WhatsApp/WeChat: +8615989339827