

Modern radius and curved stainless steel balcony/bridge/deck cable railing

Stainless Steel Wire Rope & Cable Balustrade Railing Systems		
Material	304 or 316 stainless steel	
Size	1. Length	Customized as your requirement
	2. Height	800 - 1500mm
	*Dimensions & radius will vary according to customers' requirements.	
Component & Size (mm)	3mm to 6mm cable wire	
	dia42.4 / 50.8mm round handrail and baluster	
	40*40mm / 50*50mm square handrail and baluster	
Top Handrail	Wood, stainless steel, steel	
Position	Bridge Railings / Handrails, Porch Railings / Handrails, Deck Railings / Handrails, Balcony Railings / Handrails, Stair Railings / Handrails, Other	
MOQ	1 meter	
Delivery Time	10-20 workdays after receiving of the deposit	
Installation	1. Easy to install, only use screws to install	
	2. Detailed installation instruction is available	

WHY CHOOSE OUR STAINLESS STEEL CABLE RAILINGS:

Stainless Steel superior anti corrosion ability, ensure it is premier material for building materials,

especially for outdoor and seaside project, our SUS304 usually contains 8%~11% of Ni element,

and SUS316 contains 10%~14% of Ni. We will supply free design drawing of cable wire railing


for your project, and offer one stop service, prepare all the material you will need.

Cable railing is strong and classical for balcony, staircase, terrace, deck, porch, etc.

Types of cable railing post:



Technical drawings:




Types of wire rope fittings/cable railing hardware:



Projects show:

Modern design durable balcony cable railing







Stainless Steel 304/316 Cable Railing for commercial buildings, home residential, ect.



Company infomation:

Shenzhen Launch Co., Ltd was established in 2004, located at Nanshan District, Shenzhen, and one hour by car from Hongkong International Airport. Our main product is high-grade building materials includes stainless steel balustrade post, staircase handrail, balcony guardrail, swimming pool fence and other high-grade building materials. All the products are designed strictly according to the high-end market requirements. We have our own factory in Tangxia Town, Dongguan, has a variety of precision equipment more than 50 sets: CNC lathe, milling machine, punching machine, pipe cutter, argon welder, drilling machine, polisher, etc. which can provide customers with complete product processing services. With the German SPECTRO Spectrometer, we insist on testing every batch of materials to ensure that the material is highly qualified. We also have hardness gauge, secondary element and other test equipment to ensure the products meets customers' requirements.

ABOUT US

Our Team



OUR ADVANTAGE

Please do not hesitate to contact us if you have any requirement regarding our production lines, you can expect a timely reply with professional solutions!



Own factory, shortest lead time.



Can help customers design product drawings based on customer ideas and design engineering installation drawing according to the customer site sketch.



Sample order, trial order acceptable.



Provide material test report to ensure that the material is qualified.



13 years of industry experience, we can help customers recommend the best solution to help customers save cost.

OUR FACTORY

More than 13 years experience in hardware industry design and processing, we can provide customized services from design to the sample and small batch trial production.



OUR CERTIFICATE

With premium quality, competitive price and superior service, we won a lot of customers' favor.

Our products are popular in North America, European and Australia.



PRODUCTION PROCESS



Casting



CNC lathe



CNC Milling



Stamping



Drilling & Tapping



Polishing




PACKAGING & DELIVERY



PAYMENT & TRANSPORTATION

Welcome Alibaba Trade Assurance Order!



1 Start an order

2 Negotiate terms with our sales service & confirm order

3 Make payment

4 Alibaba provide full assurance



Contact us now for more information:
Attn: Eve

Email: sales03@launch-china.cn
Mob/WhatsApp: +8613686807796