


Outdoor LED Light Aluminum Glass Balustrade U Channel Glass Railing for Deck and Balcony



Aluminum Glass Railing specifications:

| RAILING PART - BASEMENT | MATERIAL | DIMENSION(MM) | SURFACE FINISHED | SUITED GLASS THICKNESS (MM) |
|-------------------------|--------------------------|---------------|-------------------------|-----------------------------|
| U Channel / U Profile | Aluminum Alloy | 102*62 | Anodizing / Spray Paint | 12-13.52 |
| | | 102*67 | | 8+1.52+8 |
| | | 102*70.5 | | 10+1.52+10 |
| Inside System & Bolt | 3 or 4 meters per length | | | |
| Cladding | SUS 304 / SUS 316 | 102 | Brushed / Mirror | / |
| Rubber | Plastic | Various | Black | All |





Aluminum Base U Profile for Glass Railing in Black Color:



Available Models:

LCH-A01/A02: without/with cladding for use with 20mm to 21.52mm glass

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)




Aluminum trough 1 m Waterproof tape 2 meters Aluminum plastic fittings 3 sets Expansion screws 3 pieces

LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m Decorative cover 2 meters Aluminum plastic fittings 3 sets Expansion screws 3 pieces

LCH-B01/A02: without/with cladding for use with 16mm to 17.52mm glass

LCH-B01

16 mm to 17.52 mm tempered glass


1 m aluminium groove contains the following accessories
(excluding glass)



LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-

C01/A02: without/with cladding for use with 12mm to 13.14mm glass

LCH-C01

12 mm to 13.14 mm tempered glass


1 m aluminium groove contains the following accessories
(excluding glass)



LCH-C02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



LCH-

D01/A02: without/with cladding for use with 12mm to 13.14mm glass

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

For both commercial and residential application
For both wholesale and retail (We are manufacturer)












MORE TYPES OF ALUMINIUM U CHANNEL FOR GLASS RAILING:

Small profile: for glass thickness 10-12.76mm

Big profile: for glass thickness 20-30mm



SLOT TUBE HANDRAIL:





FAQ

- 1. Are you factory?**
Yes, we are factory.
- 2. Do you offer free samples?**
Yes, we offer free samples, but customers need to pay express charges.
- 3. What materials do you have?**
We have the material of stainless steel 304, 316, 316L and Duplex 2205.
- 4. What is your MOQ?**
MOQ of order required is 1 pc.
- 5. What kind of payment do you accept?**
We accept the payment of T/T, LC, PayPal, West Union, etc.
- 6. What is your payment term?**
Our payment term is T/T(100% or 30/70)or LC at sight .
- 7. What is your delivery time?**
Our delivery time is from 5days to 30days base on your quantity.
- 8. Do you offer OEM & ODM service?**

Yes we offer OEM&ODM service.

9. Do you offer after-sales service?

Yes, we offer after-sales service. Any complaint for orders will be dealt with in time within 12 hours.

Contact us now for more information:

Eve

Email: sales03@launch-china.cn

Mobile / Whatsapp: +8613686807796