Product Description
1. Grade: SUS316, SUS316L, DUPLEX2205
2. Glass thickness: 10mm - 13.52mm
3. Finish: Satin or mirror polished
4. Certification: ISO9001, CCC

Product Name: Glass balustrades spigots, stainless steel glass pool fence spigot
Material: stainless steel
Model number: RBM
Mounted: Flooring
Application: Frameless Fencing & Balustrade

Products Show
- Satin brushed matt surface treatment


- Mirror polished bright surface treatment

More photos:

Packing:

Technical Drawing:

Technical drawing dimensions:
- 50±0.2
- 17±0.2
- M10
- 45
- Ø50
- 88
- 110
- 168
- 8
- 4-Ø7
- Ø98 0 -0.3

深圳市朗驰商贸有限公司 SHENZHEN LAUNCH CO., LTD.		表面处理		比 例	
设 计	裴佳辉	图号:RBM	材 料	316	1:2.5
校 对			未注实体尺寸公差		
工 艺		名称:Spigot	线性公差	X.	±0.1
				X.X	±0.1
数 量共 页第 页 审 核				X.XX	±0.1
批 准		版 次 V001	角度公差	X.	±1°
				X.X	±0.5°

More colors available:

Black Polished

Gold polished

Packing & Delivery

Packing Details :

1. Each spigot is wrapped with plastic film and air bag,and then put in a carton.

2. 100 spigots are packed in one bog plywood case.

3. Also can be packed as clients' requirements.

Delivery Details : 10-15 workdays after payment.

Our Certifications

Contact
Eve Chow
Email: sales03@launch-china.cn
HP/WhatsApp/WeChat: +8613686807796