Desciption

--Stainless Steel Handrail Bracket for Architectural Railing Systems

--glass mounted

--2 modles

Handrail Bracket Radius (to support φ 38.1, φ 42.4, φ 50.8mm round handrail tube) Handrail Bracket Flat (to support square handrail tube)

- --For glass thickness: as per your requirement
- --Drill glass hole size: φ16mm

Product picture


Brushed handrail bracket




Polished handrail bracket



Details







Project Handrail brackets for indoor use



Handrail brackets for outdoor use





Delivery & Packing

--Delivery: 3-5 days by air. 15-20 days by sea

--Packing: one pieces into one plastic bag, then into one box.

--Regular lead time: about 20 days after payment. (It depents on quantity)



Factory & Certification





Need a quote or any questions, please leave a message. Or contact me as below info. will get back to you as soon as possible! For any urgent enquiry, please get in touch on wechat: 973219879 or what's up: +86-13530506265 KEBLAHK奥 深圳市朗驰商贸有限公司 SHENZHEN LAUNCH CO., LTD. 朗驰国际有限公司 LAUNCH INTERNATIONAL LIMITED.

董 萍 Doris Dong Senior Sales Representative (86)135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No. 1092 Nanshan Road, Nanshan District, Shenzhen, China postal code 518054

1	(86-755)	8603	7559

(86-755) 8637 2611

sales04@launch-china.cn

www.launch-china.com www.chinabalustrade.com