







Stainless Steel Top U Channel Handrail for Glass Railing System

Specifications:


Material	Stainless steel 304L/316L
Surface treatment	Satin brushed or Mirror polished
Dimension	25*21mm, groove 14*14mm
For glass thickness	10-12mm
Length per piece	5.8 meters
Stock	Yes
Material test report	Available
Fittings	Plastic channel 180 Degree connector 90 Degree connector Wall to rail joiner End cap Slotted end cap Horizontal swivel joiner Vertical swivel joiner
Packing	Bubble bag & 6 pcs/bundel, or 1 pc/Carboard tube
Standard	Australia & New Zealand safety standard



Square Shape Top Rail Fittings	MSQC180	Square 180 degree connector		stainless steel 316	Mirror polished
	MSQC90	Square 90 degree connector			
	MSQCW	Square wall to rail connector			
	MSQCAP	Square end cap			
	MSQC90 - A1	Vertical, Up/Down adjustable connector			
	MSQC90 - A2	Horizontal, Left/Right adjustable connector			



Electro plating in Gold and Black color



2. Packaging :


1).Cardboard Tube Packaging

Each piece slot handrail covered with plastic sleeves, then put into a cardboard tube, 5 pcs into a bundle.

2).Bubble Bag Packaging

Each piece slot handrail covered with plastic sleeves, then 6 pcs with woven bag packed into a bundle, then the bundle reaped with outer bubble bag.









3. Project photos for your reference :





Please contact us freely for more information:

Eve Chow

Email: sales03@launch-china.cn

WhatsApp/Mobile/WeChat: +8613686807796