## **Description**

Stainless steel 316 glass balustrade square handrail post for 8-12mm glass

Item	Picture	Size	Hight	Top Rail	Degree
stainless steel end post		50x50mm 1.5mm thickness or as per your requirement	1100mm or as per your requirement	top rail required or end cap required	\
stainless steel middle post					180°
stainless steel corner post					90°, 135°, or as per your requirement

<sup>--</sup>Application: balcony handrail,deck handrail,staircase handrail,swimming pool fence handrail for outdoor and indoor glass railing design

- --For both safe commerical and modern house home design
- --For both wholesale and retail (We are factory)
- --Sample is always available

## **Product details**

Top rail required stainless steel square balustrade handrail post (satin finish)




End cap required stainless steel square balustrade handrail post (mirror finish)



For 80x80mm square handrail post, click below picture for more.



<u>Project</u>Square handrail post for glass pool fence






Side mounted square handrail post glass railing for indoors



Square handrail post for garden fence



High quanlity stainless steel material testing report



## Delivery & Packing

- --Delivery: 3-5 days by express. 10-15 days by sea.
- --Packing: one piece into one plastic bag, then into one box.
- --Regular lead time: about 20 days after payment. ( It depents on quantity)



Factory & Certification

























**Customer inspection** 



Need a quote or any questions, please leave a message.

Or contact me as below info. will get back to you as soon as possible!



董 萍 Doris Dong

Senior Sales Representative

**(**86) 135 3050 6265

## 深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No. 1092 Nanshan Road, Nanshan District, Shenzhen, China postal code 518054

- **(86-755)** 8603 7559
- **=** (86-755) 8637 2611
- www.launch-china.com www.chinabalustrade.com

For any urgent enquiry, please add me on wechat: 973219879 or what's up: +86-13530506265

Thank you