

1.Description

- Balustrade post for balcony, backyard, deck, staircase glass railing and cable railing
- Round post size: $\phi 43\text{mm}$ or $\phi 50.8\text{mm}$, 1100mm high
- Square post size: $\phi 40 \times 40\text{mm}$ or $50 \times 50\text{mm}$, 1100mm high
- Glass clamp can be machined according to glass thickness. (Normally 8-12mm glass)
- The distance on post between cable fitting as per your requirement. (Normally $\leq 70\text{mm}$)

2. Product picture

STAINLESS STEEL BALUSTRADE AND FITTINGS

KEBIL 比美 SHENZHEN LAUNCH CO., LTD

BALUSTRADE POST

Crossbar balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$\phi 43\text{mm}$ or $\phi 50.8\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-101 LCH-102

Glass balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$\phi 43\text{mm}$ or $\phi 50.8\text{mm}$, $40 \times 40\text{mm}$ or $50 \times 50\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-103 LCH-104 LCH-105

Model No. : LCH-120

Glass standoff balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$40 \times 40\text{mm}$ or $50 \times 50\text{mm}$
Standoff bracket size	$\phi 50\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-120

Model No. : LCH-122

Glass spider balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$40 \times 40\text{mm}$ or $50 \times 50\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-122

LCH-121

LCH-123

Model No. : LCH-123

Cable balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$\phi 43\text{mm}$ or $\phi 50.8\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-123

Model No. : LCH-124

Cable balustrade post

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Post size	$50 \times 10\text{mm}$
Standard height	1000 mm, or as per your requirement

LCH-124

07/08

3.Project show

- glass railing project









--cable railing project







3.Details











4.Delivery & Packing

Delivery: 3-5 days by express. 10-15 days by shipping









Packing: one pc into one plastic bag, then into one box.

Lead time: about 20 days after payment. (It depent on quantity)







packing	plastic bag+box+carton
production lead time	30-45 days ; also depending on your qty.
Shippment	 
	 
	 
payment	 

5. Factory & Certification





6. Customers





**build &
renovating
expo**

Friday 4 July - Sunday 6 July 2014
Melbourne Exhibition Centre



7.Contact



董 萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

💻 www.launch-china.com

www.chinabalustrade.com

Thank you for visiting. Please do not heasite to contact us for factory direct price and professional advises.