

Model RCM-2, [round core drill spigot](#) is very popular design in Australia, NZ, Norway, Canada. It is used as support brackets to hold 10-13.52mm tempered glass panels for swimming pool fencing, or balconies.

Specifications :

- stainless steel 316,316L , duplex 2205
- satin or mirror polished
- for 10-13.52mm tempered glass
- round core drill spigot
- AS/NZS standard
- 285mm height
- Weight : 1.9kg
- Fitting included : cover,screws,rubber gaskets
- Application : 2 spigots support 1 glass panel

Different Models of spigot available :

- Square base plate spigot SBM
- Round base plate spigot RBM
- Square core drill spigot SCM
- Round core drill spigot RCM
- Square core drill spigot with added length SCM-1
- Round core drill spigot with added length RCM -1

Packing Details :

plastic bag+small white box+carton

1 spigot into a plastic bag, then into a white box ;


10 or 12 spigots into a carton

Products details





Project photos



Strength test report

(For details of individual tests, refer to the tables on the following pages.)

Remarks

John



Certification



Shenzhen Launch Co.,Ltd



www.launch-china.cn

Need a quote or any questions, please leave a message.
Or contact me as below info. will get back to you ASAP!



深圳市朗驰商贸有限公司
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司
LAUNCH INTERNATIONAL LIMITED.

季敏

Merlin Ji

Senior Sales Representative

☎ (86) 189 6294 5180

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054



(86-755) 8603 7559



(86-755) 8637 2611



sales06@launch-china.cn



www.launch-china.com

www.chinabalustrade.com