


Production process	moulding, casting, turning, grinding, polishing, packing, delivery
Application area:	Bridge Railings / Handrails Deck railing/hanrails Porch railing/handrails Stair railing/handrails Salcony railing/handrails Terrace railing/handrails Pool fencing railing/handrails Steps railing/handrails
Advantages	There is a plastic slot in the slot top rail, which will make the glass fencing or railing more stable and safe and do harmless to the glass the people. no worry about the glass edgy and corner, especiallu for your children

Certification	ISO9001:2008; CCC Original Material test report
Packing:	Normally 5.8m per piece in a plastic bag and carton box; Package will be carefully concerned; The package can be designed based on customer's requirement
Delivery Lead Time:	30 Days after receiving upon your detailed needs, or depends on the quantity and the items of orders.
Payment:	T/T; L/C at sight; Westunion Escrow
Terms of delivery:	air freight; express: sea freight according to the order quantity



Round slot handrail & fittings

slot handrail length : 5.8 meters



round handrail fittings :

round cap




round wall to rail connector



round 180 deg. connector



round 90 deg. connector





round mini top rail fittings

www.launch-china.cn

Round top rail

For 12mm glass

Material	Stainless steel 316/316L
Finish	Mirror or satin
Dimension	Dia 25.4mm , groove 14*14 mm , 5.8 meter per length



Round top rail fittings

Round 180 degree connector , 90 degree connector , wall to rail connector , end cap

Material	Stainless steel 316
Finish	Mirror or satin

Square top rail

For 12mm glass

Material	Stainless steel 316/316L
Finish	Mirror or satin
Dimension	25*21mm , groove 14*14 mm , 5.8 meter per length



Square top rail fittings

Round 180 degree connector , 90 degree connector , wall to rail connector , end cap

Material	Stainless steel 316
Finish	Mirror or satin